

Further additions and corrections to *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*

Hans Silfverberg

Silfverberg, H. 2002: Further additions and corrections to *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*. — *Sahlbergia* 7:67-95. Helsinki, Finland. ISSN 1237-3273.

The latest checklist of North European Coleoptera was published in 1992, additions and corrections to it in 1997, and they are now updated with information on new distributional records for the different countries, and with taxonomic and nomenclatural changes. All these additions and corrections are based on published papers.

Hans Silfverberg, Finnish Museum of Natural History, Zoological Museum, P.O.Box 17, FIN-00014 Helsingfors.

The latest checklist of North European Coleoptera (Silfverberg 1992) was published some years ago, and one list of additions and corrections a few years later (Silfverberg 1997a). The study of these insects has continued, and a considerable number of additions has already been reported. In a few cases recent work has also made it necessary to change some of the names hitherto used.

This paper lists only such additions or changes that have been published, except for some minor corrections, which primarily concern printing errors. References to such publications are given in square brackets, so as to make them immediately distinguishable from any species authors.

In a study of Estonian Scolytidae Voolma & al. (1998) suggested that a number of species should be deleted from the Estonian list, since the records were considered doubtful. In a later work (Voolma & al. 2000) they have accepted some of them as Estonian, and that opinion is followed here.

In order to save space, the following abbreviations are used: [B97] = [Barševskis 1997], [B01a] = [Barševskis 2001a], [C01] = [Cibulskis 2001], [G93] = [Gaidienė 1993], [H97] = [Hanssen & al. 1997], [J99] = [Jansson 1999], [PM95] = [Pileckis & Monsevičius

1995], [PM97] = [Pileckis & Monsevičius 1997], [S97] = [Silfverberg 1997a], [T97] = [Telnov & al. 1997], [ØL00] = [Ødegaard & Ligaard 2000]

p. 1

Trachypachus zetterstedtii (Gyll.) — add A
[Barševskis 1999, B01a]
Leistus rufomarginatus Duft. — add AI [B01a]
Carabus problematicus gallicus Géh. — delete
SND [Březina 1999]

Carabus problematicus relictus Hellén and
Carabus problematicus wockei Born — syno-
nymize with *Carabus problematicus muel-
verstedti* Reitter, 1896 and add D [Březina 1999]
Diacheila polita (Fald.) — add N [H97]

p. 2

Dyschirius nigricornis Motsch. — delete A [Bar-
ševskis 2002, cf. S97]
Dyschirius melancholicus Putz. — add A [Bar-
ševskis 2002]

Dyschirius laeviusculus Putz. — add I [PM95]
Dyschirius rufipes (Dej.) — delete A [Barševskis
2002, cf. S97]
Asaphidion curtum (Heyd.) — add A [Barševskis
2002]

Bembidion obtusum (Serv.) — add N AI [G93,
Hansen & al. 1999, Barševskis 2002]

p. 3

Bembidion andreae (F.) — change to *B. cruciatum*
Dejean, 1831 (*andreae* auct. nec F.) [Lucht &
Klausnitzer 1998]

Bembidion azurescens (D.T.) — add F [Westman & al. 2000]

Bembidion fumigatum (Duft.) — add N A [H97, Barševskis 2002]

Bembidion quadripustulatum Serv. — add D [Hansen & al. 1999]

Bembidion lunulatum (Geoffr.) — delete N [Vik 1993]

Bembidion aeneum Germ. — add A [Savich 1998]

After *Bembidion guttula* (F.) — add *B. neresheimeri* Müller, 1929 AI [PM95, Barševskis 2002]

Tachys bistriatus (Duft.) — add I [PM95]

Pterostichus adstrictus Eschz. — delete A [Barševskis 2002, cf. S97]

Pterostichus quadrifoveolatus Letzn. — add I [B01a]

Pterostichus rhaeticus Heer — add E I [B01a, Iivariinen 2001b]

p. 4

After genus *Synuchus* Gyll. — add *Platyderus* Stephens, 1828, with *P. ruficollis* (Marsham, 1802) N [Skartveit & al. 2000]

Agonum consimile (Gyll.) — delete A [Barševskis 2002, cf. S97]

Agonum munsteri (Hellén) — add A [Savich 1998]

Agonum hypocrita Apf. — add S D A [Ljungberg 1996, Hansen 1998, cf. S97]

Agonum duftschmidi Schm. — add D AI [Ljungberg 1996, Hansen 1998, B01a, cf. S97]

Agonum holdhausi (Apfelbeck, 1904) [cf. S97] — change to *A. longicornue* Chaudoir, 1846 (*holdhausi* (Apf.) [Lucht & Klausnitzer 1998]

After *Amara plebeja* (Gyll.) — add *A. concinna* Zimmermann, 1832 I [PM95]

Amara convexior Steph. — add I [PM95]

Amara anthobia V. & V. — add A [T97]

Amara erratica (Duft.) — add A [Barševskis 2002]

p. 5

Amara crenata Dej. — change ? to I [PM95]

Amara gebleri Dej. — add N E I [Sagvolden & Hansen 1996, B01a]

Before *Chlaenius tristis* (Schall.) — add *C. spoliatus* (Rossi, 1790) I [PM95]

Oodes gracilis Villa & Villa — add I [B01a]

Badister meridionalis Puel — add I [B01a]

Badister sodalis (Duft.) — add N [H97, Hansen & al. 1999]

Badister collaris Motsch. — add I [B01a]

Ophonus signaticornis (Duft.) — add I [Tamatis 1999]

After *Harpalus smaragdinus* (Duft.) — add *H. caspius* (Steven, 1806) (*roubalii* Schuberger, 1928) I [PM95]

After *Harpalus autumnalis* — add *H. atratus* Latreille, 1804 I [G93]

Harpalus solitaris Dej. — add I [G93, PM95]

Harpalus modestus Dej. — delete A [Barševskis 2002, cf. S97]

p. 6

Harpalus picipennis (Duft.) — add E [B01a]

Harpalus pumilus Sturm — add I [B01a]

Anisodactylus signatus (Panz.) — add I [G93]

Bradycecellus ponderosus Lindr. — delete as an obviously mislabelled specimen of *Psychristus discretus* Andrewes, 1930 [Jaeger 1999]

Bradycecellus verbasci (Duft.) — add N [Hansen & al. 1999]

Acupalpus exiguum Dej. — add E I [PM95, B01a]

Acupalpus interstitialis Rtt. — add A [B97]

Demetrias imperialis (Germ.) — add N E I [Sagvolden & Hansen 1996, G93, PM95, B01a]

Dromius linearis (Ol.) — add N E [ØL00, Miländer 1999, B01a]

p. 7

Haliphus wehnkei Gerh. — synonymize with *H. sibiricus* Motsch. [Lundmark & al. 2001]

Biessus grossepunctatus Vorbr. — add I [B01a]

Hydrolyphus pusillus F. — change to *H. geminus* (Fabricius, 1792) (*pusillus* (Fabricius, 1781) nec (Müller, 1776)) [Nilsson 2001]

Hydrolyphus hamulatus (Gyll.) — add I [PM95]

Hydroporinae Erichson, 1837, and **Hydroporini** Erichson, 1837 — change author to Aubé, 1836 [Nilsson & Roughley 1997]

Hydroporus picicornis J.Sahlb. — transfer to **Hydrocolus** as *H. sahlbergi* Nilsson, 2001 (*picicornis* (J.Sahlberg, 1875) nec (Chevrolat, 1863)) (p. 8) [Nilsson 2001]

Hydroporus glabriusculus Aubé — add A [Barševskis 1999]

p. 8

Hydroporus submuticus Thoms. — add K [Nilsson & Holmen 1995]

Hydroporus notatus Sturm — add A [B01a]

After *Hydroporus* Clairv. — add **Hydrocolus** Roughley & Larson, 2000, with species *H.*

- sahlbergi* Nilsson (cf. p. 7).
Nebrioporus assimilis (Payk.) — add I [PM95]
Agabus didymus (Ol.) — add I [G93]
Agabus biguttulus (Thoms.) — add I [G93]
Agabus levanderi Hellén — change to *A. discolor* (Harris, 1828) (*levanderi* Hellén, 1929) [Nilsson 2001]
Agabus melanocornis Zimm. — change to *A. montanus* (Stephens, 1828) (*melanocornis* Zimm. [Lucht & Klausnitzer 1998])
Agabus wasastjernai (Sahlb.), *opuscus* Aubé, *chalconatus* (Panz.), *montanus* (Steph.), *nigleucus* Er., *subtilis* Er. and *erichsoni* Gemm. & H. — transfer to *Ilybius* [Nilsson 2001]
- p. 9
Ilybius angustior (Gyll.) — add I [B01a]
Ilybius similis Thoms. — add I [G93]
After *Rhantus bistratus* (Bergstr.) — add *R. consputus* (Sturm, 1834) I [PM95]
Rhantus incognitus Scholz — add A [B01a, cf S97]
Rhantus latitans Sharp — add I [B01a]
Rhantus fennicus Huldén — add K [Rutanen & Kashevarov 1997]
Laccophilus ponticus Sharp — change to *L. poetulus* Klug, 1834 (*ponticus* Sharp, 1882) [Nilsson 2001]
Cybister lateralimarginalis (DeG.) — add I [G93, PM95]
Gyrinus opacus Sahlb. — add E I [B01a]
Gyrinus aeratus Steph. — add I [PM95, B01a]
Gyrinus pullatus Zaitz. — add I [B01a]
After *Gyrinus substriatus* Steph. — add *G. urinator* Illiger, 1807 I [PM95]
Gyrinus caspius Mén. — add AI [PM95, Barševskis 1999, B01a]
- p. 10
Microsporidae Reichardt, 1976 — change to *Sphaeriidae* Erichson, 1845 (*Microsporidae* Crotch, 1873) [Opinion 1957]
Microsporus Kolenati, 1846 — change to *Sphaerius* Waltl, 1838 (*Microsporus* Kolenati, 1846) [Opinion 1957]
Sphaerius acaroides Waltl — add AI [T97, PM95]
Helophorus arvernicus Muls. — add A [B97]
Helophorus fulgidicollis Motsch. — add N [Ødegaard 1994]
Helophorus pumilio Er. — delete F [Valtonen 2001]
Helophorus strigifrons Thoms. — add I [PM95]
- Helophorus obscurus* Muls. — delete FK, add N [Valtonen 2001, Hansen & al. 1999]
Hydrochus elongatus (Schall.) — add A [B01a]
Hydrochus carinatus Germ. — change to *H. crenatus* (Fabricius, 1792) (*carinatus* Germar, 1824) [Hansen 1999]
Hydrochus angustatus Germ. — add A [B01a]
Berosus signaticollis (Charp.) — add F, change N to ? [Rassi 2001, Vik 1993]
Laccobiini Bertrand, 1967 — change year to 1954 [Hansen 1999, cf. S97]
Laccobius biguttatus Gerh. — change to *L. colon* (Stephens, 1829) (*biguttatus* Gerh.); add N [Lucht & Klausnitzer 1998, Ødegaard 1994]
Enochrus fuscipennis (Thoms.) — add I [G93]
- p. 11
Hydrophilus piceus (L.) — add A [T97]
Cercyon obsoletus (Gyll.) — add I [G93]
Cercyon bifenicestratus Küst. — add N [Sagvolden & Hansen 2001]
Cercyon atricapillus (Marsh.) (*nigriceps* (Marsh.)) — change to *C. nigriceps* (Marsh.) (*atricapillus* (Marsh.)); add A [Hansen 1999, T97]
Cercyon convexiusculus Steph. — add A [J99]
Cercyon sternalis (Sharp) — add A [J99]
Megasternum obscurum (Marsh.) — change to *M. concinnum* (Marsham, 1802) (*obscurum* (Marsham, 1802)) [Hansen 1999]
Cryptopleurum crenatum (Panz.) — add A [B01a]
Sphaeridium marginatum F. — add N I [Ødegaard 2001, Balčiauskas & al. 1998]
Ochthebius rugulosus Woll. — delete and replace with *O. alpinus* (Ieniștea, 1979) FKSN and *O. hungaricus* Endrödy-Younga, 1967 FK E [Jäch 1998]
After *Ochthebius nilssonii* Heb. — add *O. metallescens* Rosenhauer, 1847 I, and *O. pusillus* Stephens, 1835 I [PM95]
Limnebius papposus Muls. — add I [PM95]
Limnebius nitidus (Marsh.) — add I [PM95]
- p. 12
Ptenidium turgidum Thoms. — add A [J99]
Ptenidium pusillum (Gyll.) — add A [Barševskis 2001b]
After *Ptenidium pusillum* (Gyll.) — add *P. longicorne* Fuss, 1848 A [T97, Telnov 1999]
Ptenidium nitidum (Heer) — add A [Barševskis 2001b]
Actidium boudieri (Allib.) — add A [Barševskis *]

2001b]

Actidium coarctatum (Halid.) — add D [Sörensson 2000]

Oligella foveolata (Allib.) — add A [Barševskis 2001b]

Micridium halidaii (Matth.) — add A [Barševskis 2001b]

Ptilium myrmecophilum (Allib.) — add A [T97]

Ptilium exaratum (Allib.) — add A [Barševskis 2001b]

Euryptilium gillmeisteri Flach — add A [Barševskis 2001b]

Ptiliola brevicollis (Matth.) — add A [Barševskis 2001b]

Ptiliolum sahlbergi (Flach) — add A [Telnov 2001]

After genus *Microptilium* Matth. — add **Baranowskia**

Sörensson, 1997, with B. ehnstromi
Sörensson, 1997 F S [Sörensson 1997]

Ptinella tenella (Er.) — add D [Hansen & al. 2000]

Baeocrara japonica (Matth.) — add A [Barševskis 2001b]

Acrotrichis montandonii (Allib.) — add A [Barševskis 2001b]

Acrotrichis thoracica (Waltl) — change B to A
[Barševskis 2001b]

Acrotrichis sericans (Heer) — add A [Telnov 1999]

Acrotrichis dispar (Matth.) — add A [Barševskis 2001b]

Acrotrichis parva Rossk. — add A [Barševskis 2001b]

Acrotrichis intermedia (Gillm.) — add A [T97]

Acrotrichis henrici (Matth.) — do not delete D
[Hansen & al. 1998 & 1999, cf. S97]

Acrotrichis atomaria (DeG.) — add A [Telnov 1999]

Acrotrichis sitkaensis (Motsch.) — add A [T97,
Barševskis 2001b]

Acrotrichis strandi Sundt — add A [J99]

p. 13

Leiodes inordinata (J.Sahlb.) — add N [ØL00]

Leiodes silesiaca (Kr.) — add I [PM95]

Leiodes rugosa Steph. — add A [B97]

Leiodes fracta (Seidl.) — change B to A [T97]

Leiodes bicolor (Schm.) — add I [PM95]

Leiodes ferruginea (F.) — add A [B01a]

Liocyrtusa Daffner — change to **Xanthosphaera**

Fairmaire, 1859 (*Liocyrtusa* Daffner, 1982)
[Perkovsky 1997]

Xanthosphaera minuta (Ahr.) — add A [B01a]

Agaricophagus cephalotes Schmidt — delete N,
add A [Vik 1993, T97]

Liodoria serricornis (Gyll.) — add N A [H97,
J99]

Genera *Colenis* Er. and *Agaricophagus* Schmidt —
separate into tribe **Pseudolioidini** Portevin, 1926
[Newton 1998]

Amphicyllis globiformis (Sahlb.) — add A [B01a]

Agathidium marginatum Sturm — add A [B01a]

Agathidium haemorrhoum Er. — add A [B01a]

Agathidium mandibulare Sturm — add A [B97]

Agathidium pallidum (Gyll.) — add K [Martikainen & al. 1998]

Agathidium rotundatum (Gyll.) — add A [B01a]

Agathidium plagiatum (Gyll.) — add A [B01a]

p. 14

Agathidium badium Er. — add I [B01a]

Agathidium pisanum Bris. — add A [J99]

Nicrophorus sepultur Charp. — add I [Tamutis 1999]

Nicrophorus fossor Er. — delete N [Vik 1993]

Choleva lederiana Rtt. — delete N, add E [Vik 1993, Roosileht 1999]

Choleva oblonga Latr. — add E [Roosileht 1999]

After *Choleva oblonga* Latr. — add *C. nivalis*
Kraatz, 1856 A [Telnov 2001]

Choleva cisteloides (Fröl.) — add I [PM95]

Choleva glauca Britt. — add E [Roosileht 1999]

Choleva angustata (F.) — add A [Telnov 2001]

Choleva spinipennis Rtt. — add A [B97]; delete I
[PM95]

p. 15

Catops westi Krog. — add A [T97]

Catops fuliginosus Er. — add I [PM95]

Catops nigricans (Spence) — add K [Rutanen & Kashevarov 1997]

Colon pseudolatum Palm — add N [ØL00]

Colon brunneum (Latr.) — add A [Telnov 2001]

Platysyllus castoris Rits. — add A [T97]

Eutheia linearis Muls. — add A [T97]

Eutheia scydmaenooides Steph. — add A [T97]

Cephennium thoracicum Müll. & K. — delete I
[PM95]

After *Cephennium majus* Rtt. — add *C. laticolle*
Aubé, 1842 A [T97]

Nevraphes ruthenus Mach. — add N [Sagvolden & Hansen 1996]

Nevraphes talparum Lokay — delete N [Sagvolden

- & Hansen 1996]
Scydmoraphus helvolus Schaum — add A [T97]
Stenichnus godarti (Latr.) — add A [T97]
Stenichnus bicolor (Denny) — add A [B97]
Stenichnus poweri (Fowl.) — add N [H97]
- p. 16
Microscydmus minimus (Chaud.) — add A [Telnov 2001]
Euconnus pragensis (Mach.) — add N [Sagvolden & Hansen 1996]
Scydmaenus rufus Müll. & Kze. — add I [G93]
Scydmaenus hellwigii (Hbst.) — add A [T97]
Gabrius appendiculatus Sharp — add A [C01]
Gabrius velox Sharp — change to *G. austriacus* Scheerpeltz, 1947 (*velox* auct.); add A [Schillhammer 2001, C01]
Gabrius coxalus (Hochh.) — change to *G. breviventer* (Sperk, 1835) (*coxalus* (Hochhuth, 1872)) [Herman 2001]; add A [J99, C01]
Gabrius vernalis (Grav.) — change to *G. osseticus* (Kolenati, 1846) (*vernalis* (Gravenhorst, 1806) nec (Müller, 1776)) [Herman 2001]
After *Gabrius osseticus* (Kolen.) — add *G. dufbergi* Gillerfors, 1997 S [Gillerfors 1997a]
Gabrius tirolensis (Luze) — add N [Sagvolden & Hansen 1996]
Gabrius trossulus (Nordm.) — add A [J99, C01]
Bisnius cephalotes (Grav.) — change B to E [Silfverberg 1999 - cf. S97]
Bisnius pseudoparcus (Brunne) — add N [ØL00 - cf. S97]
After *Bisnius subuliformis* (Grav.) — add *B. variipennis* Scriba, 1864 (*scribai* Fauvel, 1867) I [PM95]
Philonthus discoideus (Grav.) — change B to A [T97]
Philonthus micantoides Ben. & Lohse — add F N A [Clayhills & al. 2000, Ødegaard 2001, B01a, C01, cf. S97]
Philonthus binotatus (Grav.) — add I [PM95]
After *Philonthus cyanipennis* (F.) — add *P. caerulescens* (Lacordaire, 1835) A [C01]
Philonthus spinipes Sharp — add I [PM95]
Philonthus rotundicollis (Mén.) — add N [Vik 1993]
Philonthus temporalis Muls. & Rey — add A [T97]
Philonthus mannerheimi Fauv. — add N [H97]
- p. 17
Philonthus marginatus (Ström) — change author to (Müller, 1764) [Herman 2001]
- Philonthus lederi* Epp. — add K [Rutanen & Kashevarov 1997]
Philonthus subvirescens Thoms. — add I [PM95]
Philonthus nitidicollis (Lac.) — add I [PM95]
Philonthus alpinus (Grav.) — add N [Vik 1993]
Philonthus immundus (Gyll.) — change to *P. rufoipes* (Stephens, 1832) (*immundus* (Gyllenhal, 1810) nec (Gravenhorst, 1806)) [Herman 2001]
After *Philonthus punctus* (Grav.) — add *P. linki* Solsky, 1866 I [PM95]
After *Philonthus laevicollis* — add *P. montivagus* Heer, 1839 I [G93]
Philonthus coprophilus (Jarr.) — add A [B01a, C01, cf. S97]
Neobisnius lathrobiooides (Baudi) — add E [Iivarinen 2001b]
Cafius xantholoma (Grav.) — add A [B97]
Platydracus chalcocephalus (F.) — change B to EA [Silfverberg 1999, T97]
Ocyphus nero (Fald.) — change to *O. nitens* (Schrank, 1781) (*nero* (Faldermann, 1835)) [Herman 2001]; delete N [Vik 1993]
Ocyphus cupreus (Rossi) — change to *O. sericeicollis* (Ménétriés, 1832) (*cupreus* (Rossi, 1790) nec (Geoffroy, 1785)) [Herman 2001, cf. S97]
After genus *Ocyphus* Leach — add **Tasgius** Stephens, 1829 (**Alapsodus** Tottenham, 1939) [Herman 2001]
Ocyphus pedator (Grav.), *Ocyphus ater* (Grav.), *Ocyphus morsitans* (Rossi, 1790) (*compressus* (Marsham, 1802) nec (Geoffroy, 1785)), *Ocyphus winkleri* (Bernh.), *Ocyphus melanarius* (Heer) and *Ocyphus globulifer* (Geoffr.) — transfer to **Tasgius** Steph. [Herman 2001]
Tasgius pedator (Grav.) — add D [Hansen & al. 1999]
Tasgius morsitans (Rossi) — add I [G93, PM95]
Heterothops stiglundbergi Isr. — add N [Ødegaard 1999]
Velleius dilatatus (F.) — add F [Forstén & al. 2000]
Quedius longicornis Kr. — change B to EA [Silfverberg 1999, Miländer 1999, T97]
Quedius assimilis (Nordm.) — change to *Q. fulgidus* (Fabricius, 1793) (*assimilis* (Nordmann, 1837)); change B to A [Herman 2001, T97]
Quedius ochripennis (Mén.) — add I [G93]
Quedius brevicornis Thoms. — put author in parentheses [Herman 2001]

p. 18

Quedius puncticollis Thoms. — put author in parentheses [Herman 2001]

Quedius microps (Grav.) — omit parentheses from author [Herman 2001]

Quedius truncicola Fairm. & Lab. — add I [G93]

Quedius plagiatus (Mannh.) — add I [G93, PM95]

Quedius curtipennis Bernh. — add A [C01]

Quedius tristis (Grav.) — change to *Q. levicollis* (Brullé, 1832) (*tristis* (Gravenhorst, 1802) nec (Fabricius, 1793)); add A [Herman 2001, T97]

After *Quedius lucidulus* Er. — add *Q. riparius* Kellner, 1843 A [T97]

Quedius picipes (Mannh.) — add I [PM95]

Quedius pseudooumbrinus Lohse, 1958 — synonymize with *Q. umbrinus* Er. [Herman 2001]

Quedius nigriceps Kr. — add I [G93]

Quedius limbatooides Coiff. — change to *Q. limbatus* (Heer, 1839) (*limbatooides* Coiffait, 1963) [Herman 2001]

Quedius paradisanus Heer — put author in parentheses [Herman 2001, cf. S97]

Quedius aridulus Jansson — change to *Q. persimilis* Mulsant & Rey, 1876 (*aridulus* Jansson, 1939) [Herman 2001]

Leptacinus pusillus (Steph.) — change B to E [Silfverberg 1999]

Leptacinus formicetorum Märk. — change B to E [Silfverberg 1999]

Leptacinus othioides Baudi — change to *L. sulcifrons* (Stephens, 1832) [Lucht & Klausnitzer 1998]; — add A [C01]

Leptacinus intermedius Donisth. — add A [B97, B01a]

Nudobius lents (Grav.) — add A [B97, Cibulskis 1998]

Hypnogyra glabra (Grav.) — change to *H. angularis* (Ganglbauer, 1895) (*glabra* (Gravenhorst, 1802) nec (Müller, 1776)) [Herman 2001]

Before *Xantholinus* Dej. — add *Leptophius* Coiffait, 1983 [Herman 2001]

Xantholinus flavocinctus (Hochh.) — transfer to *Leptophius* Coiff. [Herman 2001]; add I [PM95, cf. S97]

Xantholinus longiventris Heer — delete N, add A [Vik 1993, J99, B01a]

Xantholinus rhenanus Coiffait, 1962 — change to *X. gallicus* Coiffait, 1956 (*rhenanus* Coiffait,

1962) — [Assing & Schülke 2001, cf. S97]

Xantholinus meyeri Drugm. — change back to *X. tricolor* (F.) [Herman 2001, cf. S97]

Xantholinus laevigatus Jac. — add I [PM95]

Othius lapidicola Kiesw. — change author to Märkel & Kiesenwetter, 1847 [Assing 1997b] After *Othius lapidicola* — add *O. laeviusculus* Stephens, 1832 I [G93]

p. 19

Othius volans J.Sahlb. — add N A [Ødegaard & Andersen 1994, B97]

Othius myrmecophilus Kiesw. — change to *O. subuliformis* Stephens, 1833 (*myrmecophilus* Kiesenwetter, 1843) [Assing 1997b]

Atrecus longiceps (Fauv.) — add A [B97, T97]

Paederus brevipennis Lac. — add I [G93]

Astenus procerus (Grav.) — add A [B01a, C01]

Astenus longelytratus Palm — change to *A. lyonessius* (Joy, 1908) (*longelytratus* Palm, 1936) [Assing 1999b] — add A [B99]

Astenus pulchellus (Heer) — add AI [C01, PM95]

Rugilus scutellatus (Motsch.) — change to *R. fragilis* (Gravenhorst, 1806) (*scutellatus* (Motschulsky, 1858)), add I [Assing & Schülke, 1999, Tamutis & Zolubas 2001]

Rugilus geniculatus (Er.) — add A [B97]

Sunius melanocephalus (F.) — add A [B01a, C01]

Lithocharis nigriceps Kr. — add A [Cibulskis 1998]

Lithocharis fuscipennis Kr. — delete S [Lundberg 1996b ("fuscicornis"), cf. S97]

Scopaeus cognatus Muls. & R. (*sulcicollis* auct.) — change to *Scopaeus sulcicollis* (Stephens, 1833) (*cognatus* Muls. & R.) [Frisch 1997]

Scopaeus pusillus Kiesw. — add A [B01a]

Scopaeus minimus Er. — change to *Scopaeus ryei* Wollaston, 1872 (*minimus* auct.) [Lucht & Klausnitzer 1998]

Lathrobium multipunctum (Grav.) — add E I [Iivarinen 2001b, PM95]

Lathrobium zetterstedti Rye — change B to A [Cibulskis 1998]

Lathrobium scutellare Nordm. — add AI [C01, PM95]

Lathrobium rufipenne Gyll. — change B to A [T97]

Lathrobium boreale Hochh. [cf. S97] — change back to *L. volgense* Hochhuth, 1851 [Lucht & Klausnitzer 1998]

Lathrobium castaneipenne Kolen. — add D A

- [Hansen & al. 1998, Cibulskis 1998]
Edaphus beszedesi Rtt. (*bluehweissi* Scheerp.) — add i (for A) [C01]
- p. 20**
- Stenus atratalus* Er. — change B to EA [B01a, T97]
Stenus nitens Steph. — add A [B01a, C01]
Stenus ageus Cas. — add A [J99]
After *Stenus cautus* Er. — add *S. mendicus* Erichson, 1840 A [C01]
Stenus incanus Er. — add A [B01a, C01]
Stenus nanus Steph. — add A [C01]
Stenus assequens Rey — add E [Miländer 1999]
Stenus opticus Grav. — add E [Miländer 1999]
Stenus latifrons Er. — add N [Vik 1993, H97]
Stenus bohemicus Mach. — add A [B01a, C01]
Stenus oscillator Rye — add N [Barševskis 2001c]
Stenus similis (Hbst.) — add AI [T97, G93, PM95]
Stenus solutus Er. — add I [PM95]
Stenus fornicatus Steph. — add I [G93]
Stenus pallitarsis Steph. — add N [Sagvolden & Hansen 2001]
Stenus pubescens Steph. — add A [B01a, C01]
Stenus flavipes Steph. — add I [G93, PM95]
Stenus brevipennis Thoms. — synonymize with *S. picipes* Steph. [Herman 2001]; add N [H97]
Stenus impressus Germ. — add A [T97]
Stenus ochropus Kiesw. — add NI [ØL00, PM95]
After *Stenus ochropus* Kiesw. — add *S. fuscicornis* Erichson, 1840 I [PM95]
Stenus flavipalpis Thoms. — add A [C01]
Stenus pallipes Grav. — add A [B01a, C01]
Dianous coerulescens (Gyll.) — add A [T97]
- p. 21**
- Before *Micropeplus* Latr. — add *Arrhenopeplus* Koch, 1937 [Herman 2001]
Micropeplus tesserula Curt. — transfer to *Arrhenopeplus* Koch [Herman 2001]
Micropeplus staphylinoides (Marsh.) — add E [Miländer 1999 — cf. S97]
Micropeplus caelatus Er. — add A [T97]
Metopsia clypeata (Müll.) — change to *M. similis* Zerche, 1998 (*clypeata* auct.) [Zerche 1998]
Metopsia retusa (Steph.) — change to *M. clypeata* (Müller, 1821) (*retusa* (Steph.)) [Zerche 1998]
Megarthrus depressus (Payk.) — change to *M. prosseni* Schatzmayr, 1904 (*depressus* auct.) [Cuccodoro & Löbl 1997]
Megarthrus sinuatocollis (Lac.) — change to *M. depressus* (Paykull, 1789) (*sinuatocollis* auct.) [Cuccodoro & Löbl 1997]
Eusphalerum longipenne (Er.) — add I [G93, PM95]
Eusphalerum sorbicola (Kang.) — add D [Hansen & al. 1997]
Eusphalerum luteum (Marsh.) — add I [G93]
Eusphalerum tenenbaumi (Bernh.) — add I [G93]
Pycnoglypta lurida (Gyll.) — add A [J99]
Acrolocha sulcula (Steph.) — add I [G93]
Phyllodrepa Thomson, 1859 — list as separate genus, with all species from ***Hapalarea*** Thoms. except *H. pygmaea* (Payk.) [Herman 2001]
Phyllodrepa melanocephala (F.) — add A [Cibulskis 1999, C01]
Phyllodrepa clavigera Luze — add K E [Rutanen & Kashevarov 1997, Roosileht 2001]
Phyllodrepa ioptera (Steph.) — add I [Balčiauskas & al. 1998]
Phyllodrepa vilis (Er.) — add E [Roosileht 2001]
Phyllodrepa gracilicornis (Fairm. & Lab.) — delete N [Vik 1993]
Hapalarea pygmaea (Payk.) — add A [J99]
After genus *Hapalarea* Thoms. — add ***Hypopycna*** Mulsant & Rey, 1880, with species *H. rufula* (Erichson, 1840) D [Pedersen & al. 2001]
Omalium septentrionis Thoms. — add I [G93]
Omalium littorale Kr. — add N [ØL00]
Omalium excavatum Steph. — change B to A [Cibulskis 1998]
Before *Phloeonomus* Heer — add ***Xylostiba*** Ganglbauer, 1895, and ***Phloeostiba*** Thomson, 1858 [Herman 2001]
Phloeonomus monilicornis (Gyll.) — transfer to ***Xylostiba*** Ganglb. [Herman 2001]; add A [Cibulskis 1998]
Phloeonomus planus (Payk.) and *Phloeonomus lapponicus* (Zett.) — transfer to ***Phloeostiba*** Thoms. [Herman 2001]
Phloeostiba plana (Payk.) — add A [Cibulskis 1999, J99, B01a, C01]
Phloeonomus punctipennis Thoms. — add A [Cibulskis 1998]
- p. 22**
- Orochares angustatus* (Er.) — add A [Cibulskis 1999, B01a, C01]
Phyllodrepaidea crenata (Grav.) — change author to Ganglbauer, 1895 [Herman 2001]; add D [Hansen & al. 1999]

- Deliphrum tectum* (Payk.) — add A [Cibulskis 1999, C01]
- Anthobium melanocephalum* (Ill.) — add A [Cibulskis 1998]
- After *Anthobium fusculum* (Er.) — add *A. pro-longatum* (Rottenberg, 1874) E [Roosileht 2001]
- Olophrum fuscum* (Grav.) — add A [Cibulskis 1998]
- Arpedium quadrum* (Grav.) — add A [Cibulskis 1998]
- Eucnecosum brachypterum* (Grav.) — add A [Cibulskis 1998]
- Eucnecosum brunnescens* (J.Sahlb.) — add E [Roosileht 2001]
- After genus *Eucnecosum* Rtt. — add *Deliphrosoma* Reitter, 1909, with *D. macrocephalum* Eppelsheim, 1873 (*pechlaneri* Lohse, 1963) A [Cibulskis 1999, C01, Herman 2001]
- Acidota cruentata* Mannh. — change B to A [Cibulskis 1999, C01]
- Lesteva punctata* Er. — add F [Forstén & al. 1998, Iivarinen 1999]
- Anthophagus omalinus* Zett. — add E [Roosileht 2001]
- Coryphium angusticolle* Steph. — change B to EA [J99, Roosileht 2001]
- Scaphisoma balcanicum* Taman. — add N [H97]
- p. 23**
- Syntomium aeneum* (Müll.) — add A [J99]
- Coprophilus striatulus* (F.) — add I [G93]
- Manda mandibularis* (Gyll.) — add AI [Cibulskis 1998, B01a]
- Ochthephilus longipennis* (Fairm. & Lab.) — change to *O. praepositus* Mulsant & Rey, 1878 (*longipennis* auct.) [Makranczy 2001]
- Thinobius praetor* Smet. — change to *T. ciliatus* Kiesenwetter, 1844 (*praetor* Smetana, 1959) [Herman 2001]
- After *Carpelimus bilineatus* (Steph.) — add *C. erichsoni* (Sharp, 1871) (*augustae* (Bernhauer, 1901)) A [C01, Herman 2001]
- Carpelimus obesus* (Kiesw.) — add A [Cibulskis 1998]
- Carpelimus fuliginosus* (Grav.) — add A [B01a, C01]
- Carpelimus lindrothi* Palm — add A [B01a, C01]
- Carpelimus impressus* (Lac.) — add A [C01]
- After *Carpelimus exiguus* (Er.) — add *C. zealandicus* (Sharp, 1900) i (for S) [Ericson 2001]
- After *Carpelimus elongatulus* (Er.) — add *C. sub-*
- terraneus* (Smetana, 1960) A [C01]
- Aploderus caesus* (Er.) — add S [Ericson 2001]
- Anotylus rugifrons* (Hochh.) — add A [C01]
- Anotylus maritimus* (Thoms.) — add A [C01]
- Anotylus sculpturatus* (Grav.) — delete N [Vik 1993]
- Anotulus mutator* Lohse — add S [Ericson 2001]
- Platystethus alutaceus* Thoms. — add A [Cibulskis 1998]
- Bledius limicola* Tott. — add E [Mannerkoski 2001b]
- p. 24**
- Bledius praetermissus* Will. — add A [T97]
- Bledius atricapillus* (Germar, 1825) nec (Fabricius, 1775) — sp. dist. D [Hansen & al. 1997]
- After *Bledius pallipes* (Grav.) — add *B. rossicus* Bernhauer & Schubert, 1911 I [G93]
- Bledius filipes* Sharp — add A [B01a, C01]
- Bledius denticollis* Fauv. — add A [B01a, C01]
- Mycetoporus nigricollis* Steph. — change all countries to ? [Schülke & Kocian 2000]
- After *Mycetoporus nigricollis* Steph. — add *M. glaber* (Sperk, 1835) F S, and *M. dispersus* Schülke & Kocian, 2000 S [Schülke & Kocian 2000]
- Mycetoporus nigранs* Mäkl. — change to *M. boreellus* J.Sahlberg, 1876 (*nigранs* auct. nec Mäklin, 1853) [Herman 2001]
- Mycetoporus bruckii* Pand. — change to *M. eppelsheimianus* Fagel, 1965 (*bruckii* auct.), add N [Lohse & Lucht 1989, H97]
- Mycetoporus laevicollis* Epp. — change to *M. bruckii* Pand. (*laevicollis* Epp.) [Lohse & Lucht 1989]
- Ischnosoma bergrothi* (Hell.) — add A [T97]
- After genus *Bryoporus* Kraatz — add *Bryophacis* Reitter, 1909 [Herman 2001]
- Bryoporus punctipennis* Thoms., *Bryoporus rugipennis* Pand., *Bryoporus rufus* Er. and *Bryoporus crassicornis* Mäkl. — transfer to *Bryophacis* Rtt. [Herman 2001]
- p. 25**
- Bryophacis rugipennis* (Pand.) — change B to E [Silfverberg 1999]
- Lordithon speciosus* (Er.) — add A [J99]
- Bolitobius cingulatus* Mannh. — add A [Cibulskis 1998]
- Bolitobius castaneus* (Steph.) — add A [T97]
- Sepedophilus constans* (Fowl.) — add A [C01]
- Sepedophilus bipustulatus* (Grav.) — add A [C01]
- After *Sepedophilus pedicularius* — add *S. nigri-*

- pennis* (Stephens, 1832) D [Hansen & al. 1998]
- Tachyporus pallidus* Sharp — add A [C01]
- Tachyporus dispar* (Payk.) — add N [Ødegaard 2001]
- Tachyporus tersus* Er. — add A [B97]
- Tachyporus quadriscopulatus* Pand. — add AI [PM95, T97]
- Tachyporus ruficollis* Grav. — add A [T97]
- Tachyporus corpulentus* J.Sahlb. — add A [C01]
- Lamprinodes saginatus* (Grav.) — add A [Cibulskis 1998]
- Lamprinus erythropterus* (Panz.) — add A [T97]
- Tachinus rufipes* (L.) — change to *T. signatus* Gravenhorst, 1802 (*rufipes* auct. nec (Linnaeus, 1758)) [Herman 2001]
- Tachinus elegans* Epp. — add K [Rutanen & Kashevarov 1997]
- Tachinus bipustulatus* (F.) — add I [G93]
- Tachinus humeralis* Grav. — add D I [Hansen & al. 1997, G93]
- Tachinus fimetarius* Grav. — add I [PM95]
- Tachinus basalis* Er. — add S [Lundberg 2001]
- Erchomus** Motschulsky, 1857 (*Coproporus* Kraatz, 1858) — change to ***Coproporus*** Kraatz, 1857 (***Erchomus*** Motschulsky, 1858) [Herman 2001, cf. S97]
- Coproporus heterocerus* Fauv. SN — change to *C. colchicus* Kraatz, 1858 (*heterocerus* auct. nec Fauvel, 1898) [Ødegaard & Tømmerås 2000, Herman 2001, cf. S97]
- Aleochara haematodes* Kraatz — change to *A. haematoptera* Kraatz, 1858 (*haematodes* Schaum, 1862) [Assing & Schülke 1999]
- Aleochara brevipennis* Grav. — add A [T97]
- Aleochara tristis* Grav. — add A [B01a]
- Aleochara inconspicua* Aubé — add A [J99]
- Aleochara sparsa* Heer — add A [J99]
- p. 26**
- Aleochara albovillosa* Bernh. — change to *A. funebris* Wollaston, 1864 (*albovillosa* Bernhauer, 1901) [Assing & Schülke 1999]
- Aleochara sanguinea* (L.) — change B to A [T97]
- Aleochara fumata* Grav. — add A [J99, B01a]
- Aleochara verna* Say — add I [PM95]
- Aleochara suffusa* (Cas.) (*brundini* Bernh.) — change to *A. brundini* Bernhauer, 1936 [Maus 1998]
- Oxypoda operta* Sjöb. — add K [Rutanen & Kashevarov 1997]
- Oxypoda vittata* Märk. — change B to A [T97]
- Oxypoda funebris* Kr. — add A [J99]
- Oxypoda umbrata* (Gyll.) — change to *O. brevicornis* (Stephens, 1832) (*umbrata* (Gyllenhal, 1810) nec (Gravenhorst, 1802)) [Lucht & Klausnitzer 1998]
- Devia prospera* (Er.) — add I [PM95]
- Ityocara rubens* (Er.) — add A [J99]
- Ocyusa maura* (Er.) — add A [J99]
- Euryalea pulcherrima* Bernh. — transfer to genus ***Pyroglossa*** Bernhauer, 1901 [Assing & Wunderle 1997]
- Deubelia** Bernh. — synonymize with ***Ocyusa*** Kr. [Assing & Schülke 2001]
- p. 27**
- Calodera nigrita* Mannh. — add A [J99]
- Calodera aethiops* (Grav.) — change B to A [J99]
- Ischnoglossa prolixa* (Grav.) — add A [J99]
- Thiasophila inquinula* (Märkel, 1844) — change year to 1842 [orig.]
- Haploglossa gentilis* (Märk.) — add A [J99]
- Haploglossa villosula* (Steph.) — add A [J99]
- Eurymniusa*** Ganglb. — synonymize with ***Poromniusa*** Gglb. [Assing 1998]
- Poromniusa crassa* (Epp.) — add A [Assing 1998]
- Poromniusa procidua* (Er.) — add I [PM95]
- Ocalea badia* Er. — add N [Sagvolden & Hansen 2001]
- Ocalea picata* (Steph.) — add A [J99]
- Ilyobates subopacus* Palm — change to *I. bennetti* Donisthorpe, 1914 (*subopacus* Palm, 1935), add A [Assing 1999a]
- Phloeopora corticalis* (Grav.) — add A [J99]
- Dinarda maerkelii* Kiesw. — add A [T97]
- Meotica apicalis* Ben. — change to *M. filiformis* (Motschulsky, 1860) (*capitalis* Mulsant & Rey, 1873, *apicalis* Benick, 1953) [Nikitsky & al. 1998, Lucht & Klausnitzer 1998]
- After *Meotica exilis* (Knoch) — add *M. winkleri* Benick, 1954 D [Hansen & al. 1999]
- p. 28**
- Dasygnypeta*** Scheerpeltz in litt. — change author to Lohse, 1974 [Assing & Schülke 2001]
- Brundinia meridionalis* (Muls. & Rey) — delete N [Vik 1993]
- Tomoglossa luteicornis* (Er.) — add D [Hansen & al. 1999]

Schistoglossa gemina (Er.) — change B to A [J99]
After *Schistoglossa gemina* (Er.) — add *S. pseudogemina* Benick, 1981 D [Hansen & al. 1999]

Schistoglossa bergvalli Palm — add synonym *S. benicki* Lohse, 1981, add D [Pedersen & al. 2001, Mahler & Vagtholm-Jensen 2002]

Aloconota strandi Ben. — add F [Iivarinen 2001a]

Aloconota sulcifrons (Steph.) — add I [Balčiauskas & al. 1998]

Disopora languida (Er.) — add A [J99]

Liogluta alpestris (Heer) — add I [PM95]

Dadobia immersa (Er.) — add A [J99]

Cadaverota cadaverina (Bris.) — add A [J99]

p. 29

Philhygra hygrobia (Thoms.) — add A [J99]

Philhygra pinegensis (Muona) — add N [ØL00 — cf. S97]

Philhygra luridipennis (Mannh.) — add A [T97]

Philhygra terminalis (Grav.) — add A [T97]

Philhygra debilis (Er.) — add A [J99]

Philhygra parca (Muls. & Rey) (*nannion* (Joy)) — add A [J99]

Philhygra britteni (Joy) — add A [J99]

Atheta orphana (Er.) — add A [T97]

Atheta amplicollis (Muls. & R.) — add K [Rutanen & Kashevarov 1997]

Atheta pandonis Scheerp. — add F [Rutanen & Kashevarov 1997, Rutanen & Leinonen 1999]

Atheta hybrida (Sharp) — delete N [Vik 1993]

p. 30

Atheta nigripes (Thoms.) — add I [PM95]

Atheta europaea Lik. — add S [Jansson & Lundberg 2000]

Atheta aeneicollis (Sharp) — add A [J99]

Atheta ravilla (Er.) — add A [J99]

Atheta basicornis (Muls. & Rey) — add A [J99]

Atheta boletophila (Thoms.) — add I [PM95]

Atheta euryptera (Steph.) — change B to A [T97]

Atheta harwoodi Will. — add I [PM95]

Atheta brunnea (F.) — change B to A [T97]

Atheta nigritula (Grav.) — add I [PM95]

Alevonota gracilenta (Er.) — add I [PM95]

p. 31

Alianta incana (Er.) — add I [PM95]

Trichiusa immigrata Lohse — add F N [Mannerkoski 2001a, Ødegaard 1999, cf. S97]

Dinaraea linearis (Grav.) — change B to A [T97]

Acrotona sylvicola (Kr.) — change B to A [T97]

Acrotona obfuscata (Grav.) — add N [Ødegaard 1994]

Acrotona consanguinea (Epp.) — change to *A. troglodytes* (Motschulsky, 1858) (*consanguinea* (Epp.)) [Nikitsky & al. 1998]

Acrotona pseudotenera (Cam.) — add N [Ødegaard 1999, cf. S97]

Acrotona aterrima (Grav.) — add A [T97]

Thamiarea hospita (Märk.) — add N [H97]

Falagria caesa (Erichson, 1837) — omit parenthesis from author [orig.]

Myrmecopora lohmanderi Bernh. — change to *M. sulcata* (Kiesenwetter, 1850) (*simillima* (Wollaston, 1864), *lohmanderi* Bernhauer, 1927) [Assing 1997a, Assing & Schülke 1999]

Bohemellina flavipennis (Cameron, 1920) — change year to 1921; add N [orig.; Ødegaard 1999]

Falagrioma concinna (Er.) — transfer to genus *Myrmecocephalus* MacLeay, 1871 [Lucht & Klausnitzer 1998]

Falagrioma thoracica (Steph.) — add N [ØL00]

Zyras laticollis (Märkel, 1844) — change year to 1842 [orig.]

p. 32

Gyrophaena joyi Wend. — add A [J99]

Gyrophaena joyioides Wüsth. — add N [H97]

Gyrophaena angustata (Steph.) — add A [T97]

Gyrophaena transversalis Strand — add N [H97]

Encephalus complicans Kby. — add E I [B01a]

Bolitochara lucida (Grav.) — add I [G93]

Leptusa pulchella (Mannh.) — change B to A [T97]

Leptusa norvegica Strand — add A [J99]

Leptusa fumida (Er.) — change B to A [J99]

Euryusa castanoptera Kr. — add A [T97]

Placusa tachyporoides (Waltl) — add A [J99]

Placusa suecica Johns. & Lundb. — add N [ØL00]

Placusa atrata (Mannh.) — add D [Pedersen & al. 2001]

p. 33

Phytosus spinifer Curt. — add N [Ødegaard 1994]

Diglotta submarina (Fairm. & Lab.) — change to *D. sinuaticollis* (Mulsant & Rey, 1870) (*submarina* auct.) [Assing & Schülke 2001]

Diglotta mersa (Hal.) — add synonym *D. submarina* (Fairm. & Lab.) [Assing & Schülke 2001]

Oligota inflata (Mannh.) — add A [C01]

Oligota pusillima (Grav.) — add A [C01]

After *Oligota pusillima* (Grav.) — add *O. inexc-*

pectata Williams, 1994 F [Clayhills & al. 2000]
Cypha longicornis (Payk.) — add A [B97]
Cypha imitator (Luze) — change B to EA [Silfverberg 1999, C01]
Cypha suecica (Palm) — add N [H97]
Cypha pulicaria (Er.) — add A [B97, Cibulskis 1998]

Myllaena intermedia Er. — add A [J99]
Myllaena minuta (Grav.) — add A [J99]
Myllaena masoni A. Matth. — add D [Hansen & al. 1997]
Bibloplectus tenebrosus (Rtt.) — add N [ØL00]
Bibloplectus spinosus Rafffr. — add N [H97]
Bibloplectus pusillus (Denny) — add A [T97]
Euplectus nanus (Reich.) — add A [J99]
Euplectus kirbii Denny — add N [H97]

p. 34

Euplectus punctatus Muls. — add A [J99]
Euplectus fauveli Guill. — change to *E. mutator* Fauvel, 1895 (*fauveli* Guillebeau, 1888, nec Raffray, 1882) [Löbl 1999]
Euplectus duponti Aubé — add A [T97]
Leptoplectus spinolai (Aubé) — add N [H97]
 After *Plectophloeus nubigena* (Rtt.) — add *P. fischeri* (Aubé, 1833) I [PM95]

Bythinus burrellii Denny — add N [Vik 1993]
 After *Bryaxis puncticollis* (Denny) — add *B. nigripennis* (Aubé, 1844) A [T97]
Bryaxis curtisii (Leach) — add A [T97]
Amauronyx maerkelii (Aubé) — delete I [PM95]
Rybaxis longicornis (Leach) — add N [Hansen & al. 1999]
Rybaxis laminata (Motsch.) — raise to separate species, add ND [Hansen & al. 1999, Ødegaard 2001]

After genus *Chennium* Latr. — add *Centrotoma* Heyden, 1849, with *C. lucifuga* Heyden, 1849 I [PM95]

p. 35

Chaetabraeus globulus (Creutz.) — add I [PM95]
Abraeus perpusillus (Marsh.) — add I [PM95]
Plegaderus dissectus Er. — add I [PM95]
Acritus minutus (Hbst.) — add A [B01a]
Acritus homoeopathicus Woll. — add D [Hansen & al. 1997]
Teretrius fabricii Mazur — add E [Miländer 1999]
Saprinus planiusculus Motsch. — add E [Miländer 1999]
Gnathoncus buyssonii Auz. — add A [J99]

Gnathoncus nidorum Stockm. — delete N [Vik 1993]
Myrmetes paykulli Kanaar — add E [Miländer 1999]
Dendrophilus corticalis (Payk.) — add E [Miländer 1999]

Dendrophilus pygmaeus (L.) — add E [Miländer 1999]
Paromalus parallelepipedus (Hbst.) — add D [Hansen & al. 2000]

p. 36

Margarinotus obscurus (Kug.) — add I [G93]
Platysoma compressum (Hbst.) — add F [Mannerkoski 1999a]
 After *Clambus pallidulus* Rtt. — add *C. simsoni* Blackburn, 1902 S [Lundberg 1995, Johnson 1997]
 After *Clambus nigrellus* Rtt. — add *C. minutus* (Sturm, 1807) I [PM95]

Cyphon kongsbergensis Munst. — add I [PM95]
Cyphon phragmiteticola Nyh. — change to *C. laevipennis* Tournier, 1868 (*phragmiteticola* Nyh.); add I [Klausnitzer 1998, PM95]

Cyphon punctipennis Sharp — add I [PM95]
Cyphon hilaris Nyh. — add I [PM95]
Scrites orbicularis (Panz.) — add I [PM95]

p. 37

Geotrupes spiniger (Marsh.) — add E [Miländer & al. 1997]
Onthophagus taurus (Schreb.) — delete S [Ljungberg 2002]
Onthophagus ovatus (L.) — delete N, add I [Ødegaard 2001, Ljungberg 2002, PM95]
Onthophagus joannae Golj. — add N I [Ødegaard 2001, Ljungberg 2002, PM95]
Onthophagus gibbulus (Pall.) — add S [Ljungberg 2002]

Aegialia spissipes LeC. — change to *A. rufa* (Fabricius, 1792) [Opinion 1890]
Aphodius paykulli Bed. — add N I [H97, Hansen & al. 1999, G93]
Aphodius porcus (F.) — add I [PM95]
 After *Aphodius tenellus* Say — change to *A. uliginosus* Hardy, 1847 (*tenellus* auct.) [Brown 1967]

p. 38

Aphodius piceus Gyll. — add A [J99]
Aphodius scybalaria (F.) — change to *A. rufus* (Moll, 1782) [Opinion 1890]
 After *Aphodius ictericus* — add *A. punctipennis* Erichson, 1848 I [G93]

Amphimallon fallenii (Gyll.) — delete N [Vik 1993]
Anisoplia austriaca (Hbst.) — delete I [PM95]
Oxythyrea funesta (Poda) — add F [Forstén & al. 1997]

p. 39

Trichius fasciatus (L.) — add D [Martin & Pedersen 2002]

After *Trichius fasciatus* (L.) — add *T. zonatus* Germar, 1794 D [Martin & Pedersen 2002]

Ceruchus chrysomelinus (Hochw.) — add N [H97]

Eubria palustris Germ. — add I [G93, PM95]

As first in Dryopidae — add *Helichus* Erichson, 1847, with *H. substriatus* (Müller, 1806) I [PM95]

Dryops anglicanus Edw. — change B to E [Silfverberg 1999]

After *Dryops nitidulus* (Heer) — add *D. viennensis* (Laporte de Castelnau, 1840) I [PM95]

Before *Elmis aenea* (Müll.) — add *E. maugetii* Latreille, 1798 A [T97]

Before *Esolus angustatus* (Müll.) — add *E. pygmaeus* (Müller, 1806) I [PM95]

After genus *Riolus* Muls. & Rey — add **Macrolychus** Müller, 1806, with *M. quadrituberculatus* Müller, 1806 I [PM95]

Limnichus pygmaeus (Sturm) — add AI [PM95, T97]

Heterocerus flexuosus Steph. — add I [PM95]

Heterocerus obsoletus Curt. — add A [T97]

Heterocerus intermedius Kiesw. — add I [PM95]

Dictyoptera erythroptera Baudi — transfer to genus **Xylobanellus** below [Bocak 2002, cf. S97]

p. 40

Genus *Lopheros* LeC. — transfer to Erotini [Miller 1997]

Lopheros rubens (Gyll.) — add I [G93]
 After genus *Lopheros* LeC. — add subfamily **Metriorrhynchinae** Kleine, 1926, with genus **Xylobanellus** Kleine, 1930 [Bocak 2002]

Drilus concolor Ahr. — add I [PM95]
Ancistronycha cyanipennis (Fald.) — add I [G93, PM95]

From S97: *Cantharis flavilibris* Fall. — change to *C. flavilabris* [printing error]

Malthodes mysticus Kiesw. — add A [B97]

Malthodes crassicornis (Mäkl.) — add A [T97]

p. 41

Before *Lacon lepidopterus* (Panz.) — add *L. punctatus* (Herbst, 1779) S [Nilsson & Baranowski 1997]

Negastrius arenicola (Boh.) — add N [Ødegaard 2001]

Zorochros minimus (Lac.) — add A [Barševskis 1998]
Crepidophorus mutilatus (Rosh.) — add N [H97]
Orithales serraticornis (Payk.) — add I [PM95]

p. 42

Selatosomus latus (F.) — change to *S. gravidus* (Germar, 1843) (*latus* (Fabricius, 1801) nec (Fuessly, 1775)) [Sánchez-Ruiz & Tarnawski 1999]

Ampedus rufipennis (Steph.) — delete N [ØL00]

Ampedus nigroflavus (Gze.) — add I [PM95]

Ampedus nemoralis Bouw. [cf. S97] — change to *A. triangularis* (Dorn, 1925) [Nilsson & Baranowski 1997]

Ampedus suecicus Palm — add A [J99, B01a]

Ampedus tristis (L.) — add I [PM95]

p. 43

Microrhagus lepidus Rosh. — add I [PM95]

Rhacopus sahlbergi (Mannh.) — add N [H97]

Hylis foveicollis (Thoms.) — add A [J99]

Hylis olexai (Palm) — add A [J99]

Aulonothroscus brevicollis (Bonv.) — add S A [J99, Jansson & Lundberg 2000]

After *Trixagus carinifrons* (Bonv.) — add *T. leseigneurii* Muona, 2002 F S [Muona 2002]

After *Trixagus carinifrons* (Bonv.) — add *T. elateroides* (Heer, 1841) A [T97]

Trixagus duvalii (Bonv.) — delete D [Hansen & al. 1999]

After *Trixagus duvalii* (Bonv.) — add *T. exul* (Bonvouloir, 1859) D [Hansen & al. 1999, cf. S97]

Chalcophora Solier, 1833 — change author to Dejean, 1833 [Bellamy 1997]

Buprestis novemmaculata L. — change N to ? [Vik 1993]

p. 44

Scintillatrix Obenb. — change to **Ovalisia** Kerremans, 1900 (**Scintillatrix** Obenberger, 1956) [Holynski 2000]

Anthaxia godeti Gory — add A [T97, Barševskis & Savenkov 2001]

Agrilus convexicollis Redt. — add D [Pedersen & al. 2001]

After *Agrilus integerrimus* (Ratz.) — add *A. auricollis* Kiesenwetter, 1857 A [T97, Barševskis & Savenkov 2001]

Agrilus betuleti (Ratz.) — add A [T97, Barševskis & Savenkov 2001]

Agrilus populneus Schaeff. — add A [T97, Barševskis & Savenkov 2001]

Agrilus cuprescens Mén. (*communis* Ob.) — add N [H97]

After *Agrilus olivicolor* Kiesw. — add *A. kaluganus* Obenberger, 1940 I [PM95]

Coraebus elatus (F.) — add AI [T97, Barševskis & Savenkov 2001, PM95]

Before *Aphanisticus pusillus* (Ol.) — add *A. emarginatus* (Olivier, 1790) I [PM95]

Morychus dovrensis (Münst.) — transfer to genus *Arctobyrrhus* Münster, 1902 as *Arctobyrrhus dovrensis* Münster, 1902 [Johnson 1997]

p. 45

Cytinus auricomus (Duft.) — add I [G93]

Porcinolus murinus (F.) — add I [G93, PM95]

Nosodendron fasciculare (Ol.) — add I [PM95]

Dermestes gyllenhali Cast. — delete N [Vik 1993]

Dermestes haemorrhoidalis Küst. — add i for F [Clayhills 2001]

Trogoderma glabrum (Hbst.) — add I [PM95]

Globicornis rufitarsis (Panzer, 1796) (*nigripes* (Fabricius, 1792) nec (Olivier, 1790)) — change to *Globicornis nigripes* (Fabricius, 1792) (*rufitarsis* (Panzer, 1796)) [Opinion 300]

Megatoma pubescens (Zett.) — add A [B97]

Anthrenus olgae Kalik — add A [T97]

Trinodes hirtus (F.) — add A [J99]

p. 46

After *Lyctus brunneus* (Steph.) — add *L. africanus* Lesne, 1907, with i for F [Muona 2000]

Stephanopachys linearis (Kug.) — add I [PM95]

Rhyzopertha dominica (F.) — add A [T97]

Bostriochus capucinus (L.) — add A [T97]

Hedobia imperialis (L.) — add A [J99]

Ernobia pini (Sturm) — add N [ØL00]

Gastrallus immarginatus (Müll.) — add N [H97]

Anobium fulvicorne Sturm — add N I [Ødegaard 1994, PM95]

Priobium carpini (Hbst.) — add E [Silfverberg 1999]

p. 47

Ptilinus fuscus Geoffr. — add A [J99]

Stagetus borealis Isr. — add A [J99]

Dorcatoma flavicornis (F.) — add E [Süda & Nagirnyi 2002]

After *Dorcatoma chrysomelina* Sturm — add *D. janssoni* Büche & Lundberg, 2002 S A [Büche & Lundberg 2002]

Dorcatoma substriata Humm. — add EA [Süda & Nagirnyi 2002, J99]

After *Dorcatoma substriata* Humm. — add *D. minor* Zahradník, 1993 S [Jonsell 1998]

Dorcatoma punctulata Muls. & Rey — add EA [Süda & Nagirnyi 2002, J99]

Dorcatoma robusta Strand — add DE [Hansen & al. 1998, Süda & Nagirnyi 2002]

After *Dorcatoma robusta* Strand — add *D. lomnickii* Reitter, 1903 E [Süda & Nagirnyi 2002]

Epauleucus unicolor (Pill. & Mitt.) — add I [PM95]

Ptinus clavipes Panz. (*latro* auct.) — add i (for I) [G93, PM95]

Ptinus pusillus Sturm — delete S [Lundberg 1996a]

Ptinus villiger Rtt. — add I [G93]

Ptinus balticus Khnzorian & Karapetian, 1991 — synonymize with *P. villiger* Reitter, 1884 [Borowski 1996]

Ptinus subpillosus Sturm — add E I [PM95, Silfverberg 1999]

Ptinus pilosus Müll. — add I [PM95, cf. S97]

Lymexylon navale (L.) — add N [H97]

p. 48

Calitys scabra (Thunb.) — add I [PM95]

Thanasimus femoralis (Zett.) — add I [PM95]

Opetiopalpus scutellaris (Panz.) — add I [PM95]

Necrobia ruficollis (F.) — add A [T97]

Aplocnemus impressus (Marsh.) — add A [J99]

Trichoceble memnonia (Kiesw.) — add N [H97, Hansen & al. 1999]

p. 49

Dasytes flavipes (Ol.) — change to *D. virens* (Marscham, 1802) (*flavipes* (Olivier, 1790) nec (Fabricius, 1781)) [Lucht & Klausnitzer 1998]

Dasytes aerosus Kiesw. — change to *D. aeratus* Stephens, 1830 (*aerosus* Kiesw.) [Lucht & Klausnitzer 1998]

Hypebaeus flavipes (F.) — add N [H97]

Before *Malachius aeeneus* (L.) — add *M. scutellaris* Erichson, 1840 I, and *M. rubidus* Erichson, 1840 I [G93, PM95]

Anthocomus rufus (Hbst.) — add F [Clayhills & al. 2000]

Anthocomus bipunctatus (Harr.), cf. S97 — add I [G92]

Anthocomus equestris (F.) — add I [PM95]

Brachypteridae Erichson, 1845 [cf. S97] — change to **Kateretidae** Erichson in Agassiz, 1846 (**Brachypteridae** Erichson, 1845) [Opinion 1916]

Kateretes rufilabris (Latr.) — add I [G93]

- Brachypterus fulvipes* Er. — add A [B97]
- Carpophilus freemani* Dobs. — change to *C. nepos* Murray, 1864 (*freemani* Dobs.) [Lucht & Klausnitzer 1998]
- Epuraea fagetica* Aud. — change to *Epuraea hilleri* Reitter, 1877 (*fagetica* Aud.) [Kirejtshuk 1997]
- Epuraea neglecta* (Heer) — add A [J99]
- Epuraea concurrens* Sjöb. — synonymize with *E. hilleri* Rtt. (see above) [Kirejtshuk 1997]
- p. 50**
- Epuraea fussi* Reitter, 1885 — change to *E. fussia* Reitter, 1875 [orig.]; add A [B97]
- Epuraea placida* Mäkl. — add A [B97]
- Epuraea danica* Sjöb. — synonymize with *E. oblonga* (Hbst.) [Kirejtshuk 1997]
- Epuraea unicolor* (Ol.) — add I [PM97]
- Epuraea aestiva* (L.) — add I [PM97]
- Epuraea melina* (Erichson, 1843) — omit parenthesis from author [orig.]
- Pria dulcamarae* (Steph.) — add I [G93, PM97]
- Meligethes anthracinus* Bris. — delete S [Sörensson 1999, cf. S97]
- Meligethes matronalis* Aud. & Spornr. (cf. S97) — add S [Ericson 1999]; do not synonymize with *M. subaeneus* Sturm [cf. Kirejtshuk 1997; Audisio & al. 2001]
- Meligethes subaeneus* Sturm — add F [Audisio & al. 2001]
- Meligethes bidens* Bris. — add I [Tamatius & Zolubas 2001]
- Meligethes ochropus* Sturm — add E I [Miländer 1993, Tamutis 1999]
- Meligethes egenus* Er. — add I [Tamatius 1999]
- Meligethes nigrescens* Steph. — add I [Tamatius 1999]
- Meligethes symphyti* (Heer) — add S [Ericson 1999]
- Meligethes planiusculus* (Heer) — add S [Ericson 1999]
- Meligethes tristis* Sturm — add N [H97]
- Amphotis marginata* (F.) — add E [Miländer 1999]
- Ipidia binotata* Rtt. — add A [J99]
- p. 51**
- Lordyrides* Rtt. (*Pocadiodes* Gglb.) (cf. S97) — change to *Physoronia* Reitter, 1884 (*Pocadiodes* Gglb.) [Kirejtshuk 1997]
- Cylloides ater* (Hbst.) — add I [G93, PM97]
- Cryptarha undata* (Ol.) — add N [H97]

- Glischrochilus quadriguttatus* (F.) — add E I [PM97, B01a]
- After *Glischrochilus quadriguttatus* (F.) — add *G. grandis* (Tournier, 1872) A [B01a]
- Glischrochilus quadrifasciatus* Say — add D [Pedersen & al. 2001, cf. S97]
- Sphindidae** Jacquelin du Val, 1860 — change year to 1861 [Opinion 1862]
- Sphindus** Dejean, 1821 — change author to Megerle, 1821 [Opinion 1862]
- Arpidiphorus** Dejean, 1821 — change to **Aspidiphorus** Ziegler, 1821 [Opinion 1862]
- Aspidiphorus orbiculatus* (Gyll.) — add A [T97]
- Rhizophagus grandis* Gyll. — add I [PM97]
- Rhizophagus perforatus* Er. — add A [Telnov 2001]
- Rhizophagus picipes* (Ol.) — add I [G93, PM97]
- Rhizophagus parvulus* (Payk.) — add A [T97]
- Monotoma spinicollis* Aubé — add I [PM97]
- Monotoma picipes* Hbst. — add I [G93, PM97]
- After *Monotoma bicolor* Villa — add *M. quadricollis* Aubé, 1837 D [Hansen & al. 2000]
- Airaphilus elongatus* (Gyll.) — add N [Ødegaard 1994]
- Psammoecus bipunctatus* (F.) — add N E [ØL00, Miländer 1999]
- p. 52**
- Cucujus cinnaberinus* (Scop.) — add A [T97]
- Pediacus depressus* (Hbst.) — add I [PM97]
- Cryptolestes duplicatus* (Waltl) — change i to D [Hansen & al. 1998, cf. S97]
- Cryptolestes ferrugineus* (Steph.) — change B to A [T97]
- Cryptolestes abietis* (Wank.) — change B to A [T97]
- Cryptolestes alternans* (Er.) — add D [Hansen & al. 1997]
- Cryptolestes corticinus* (Er.) — change i to D [Hansen & al. 2000]
- After genus *Cryptolestes* Gglb. — add **Placonotus** MacLeay, 1871, with *P. testaceus* (Fabricius, 1787) D [Hansen & al. 1998]
- Telmatophilus brevicollis* Aubé — add D, delete B [Hansen & al. 1997, Runge 1998]
- Paramecosoma melanocephalum* (Hbst.) — add I [PM97]
- Micrambe bimaculata* (Panz.) — change B to A [T97]
- Cryptophagus parallelus* Bris. (*angustus* Gglb.) — add A [B97]
- Cryptophagus badius* Sturm — add I [PM97]
- Cryptophagus plagiatus* Poppius, 1900 — change to *Cryptophagus quadrihamatus* Mäklin, 1853

- (*plagiatus* Popp.) [Coombs & Woodroffe 1962]
- Cryptophagus subdepressus* Gyll. — add A [B97]
From S97: *Cryptophagus tuberculatus* Mäklin, 1853
— change to *C. tuberculosus* Mäklin, 1852 [orig.]
- Cryptophagus subfumatus* Kr. — change B to E
[Silfverberg 1999]
- Cryptophagus dorsalis* Sahlb. — add D [Hansen & al. 1998]
- p. 53**
- Antherophagus nigricornis* (F.) — add E [Silfverberg 1999]
- Antherophagus pallens* (L.) — add I [PM97]
- Caenoscelis subdeplanata* Bris. — change B to E
[Silfverberg 1999]
- Atomaria rhenana* Kr. — change to *A. rhenonum* Kraatz, 1853 [orig.]
- Atomaria scutellaris* (Motschulsky, 1849) — omit parenthesis from author [orig.]
- Atomaria rubricollis* Bris. — change B to E [Silfverberg 1999]
- Atomaria turgida* Er. — add AI [B97, Tamutis & Zolubas 2001]
- Atomaria testacea* Steph. (*ruficornis* (Marsh.)) — add I [PM97]
- Atomaria umbrina* (Gyll.) — add I [Tamutis & Zolubas 2001]
- Atomaria diluta* Er. — add I [Tamutis & Zolubas 2001]
- Atomaria lapponica* Johns. — add F [Clayhills 1999a]
- Atomaria subangulata* J.Sahlb. — add D [Hansen & al. 2000]
- Atomaria affinis* (F.Sahlb.) — add I [Tamutis & Zolubas 2001]
- Atomaria pulchra* Er. — delete D [Hansen & al. 1997]
- Atomaria strandi* Johns. — add F D [Clayhills 1999a, Hansen & al. 1997]
- Ootyphus globosus* (Waltl) — add I [PM97]
- After *Zavaljus brunneus* (Gyll.) — add subfamily *Cryptophilinae* Casey, 1900, with genus *Cryptophilus* Reitter, 1874, and species *C. obliteratus* Reitter, 1878 D [Runge 2000, Hansen & al. 2000]
- p. 54**
- Tritoma bipustulata* F. — add I [PM97]
- Phalacrus corruscus* (Panz.) — change to *P. corruscus* (Panz.) [orig.]
- Phalacrus championi* Guill. (*suecicus* Palm) — add E [Palm 1947]
- Phalacrus caricis* Sturm — change to *P. nigrinus* (Marsham, 1802) (*caricis* Sturm, 1807) [Švec 1999]
- Stilbus testaceus* (Panz.) — add I [G93, PM97]
- Stilbus oblongus* (Er.) — add NI [ØL00, G93, PM97]
- Cerylon deplanatum* Gyll. — add I [Balčiauskas & al. 1998]
- Anommatus diecki* Rtt. — add D [Hansen & al. 1997]
- p. 55**
- Coccidula rufa* (Hbst.) — add I [G93, PM97]
- Scymnus nigrinus* Kug. — add I [PM97]
- Scymnus rubromaculatus* (Gze.) — add DI [Hansen & al. 1998, PM97]
- Scymnus limbatus* Steph. — add A [T97]
- Scymnus ater* (Kug.) — add N [Sagvolden & Hansen 2001]
- Nephus redtenbacheri* (Muls.) — add I [G93, PM97]
- Nephus quadrimaculatus* (Hbst.) — add S I [Gillerfors 1997b, PM97]
- After genus *Nephus* Muls. — add *Cryptolaemus* Mulsant, 1850, with *C. montrouzieri* Mulsant, 1853 i (for S) [Ehnström & Lundberg 1997]
- After *Hyperaspis campestris* (Hbst.) — add *H. concolor* Suffrian, 1843 S [Clayhills 2000]
- Hyperaspis inexpectata* Günth. — add K [Clayhills 2000]
- Hyperaspis reppensis* (Hbst.) — delete FKS EA [Clayhills 2000]
- Hyperaspis pseudopustulata* Muls. (*reppensis* auct.) — add FK EAI [Clayhills 2000, PM97]
- Tythapis sedecimpunctata* (L.) — delete F [Biström & al. 2001, Hulden 2001]
- Calvia quindecimguttata* (F.) — add I [G93]
- p. 56**
- Sacium* LeC. — change to *Clypastraea* Haldeman, 1842 (*Sacium* LeConte, 1852) [Bowestead 1999]
- Arthrolips obscura* (Sahlb.) — add I [Bowestead 1999]
- Sericoderus lateralis* (Gyll.) — add E [Miländer 1999]
- Rypobius* LeC. — transfer to subfamily *Rypobiinae* Paulian, 1950 [Bowestead 1999]
- Rypobius ruficollis* (du V.) — change to *Rypobius praetermissus* Bowestead, 1999 (*ruficollis* auct. nec (Jaqcuelin du Val, 1854)) [Bowestead 1999, Nodmar 1999]
- Corylophus cassiodoides* (Marsh.) — add I [PM97]

- Orthoperus punctulatus* Rtt. — change to *O. rogeri* Kraatz, 1874 (*punctulatus* Reitter, 1876); add D I [Bowestead 1999, Hansen & al. 2000, PM97]
- Orthoperus mundus* Matth. — change to synonym of *O. nigrescens* Steph. (without distribution data) [Bowestead 1999]
- Orthoperus improvisus* Bruce — change to *O. corticalis* (Redtenbacher, 1849) (*improvisus* Bruce, 1946) (with distribution data given under *O. mundus*) [Bowestead 1999]
- Latridius brevicollis* (Thoms.) — add N, change B to A [H97, T97]
- Enicmus fungicola* Thoms. — add A [J99]
- Enicmus planipennis* Strand — add A [J99]
- Enicmus apicalis* J.Sahlb. — add N [H97]
- Enicmus atriceps* Hansen — add S [Gillerfors 1997b]
- Dienerella elegans* (Aubé) — add S [Lundberg & Pettersson 1997, cf. S97]
- Adistemia watsoni* (Woll.) — add i for N [Skartveit 1999]
- Stephostethus lardarius* (DeG.) — add I [Tamutis 1999]
- p. 57**
- Stephostethus angusticollis* (Gyll.) — change N to ? [Vik 1993]
- Stephostethus sahlbergi* (Rtt.) — change to *S. cinnamopterus* (Mannerheim, 1853) (*sahlbergi* (Reitter, 1894)) [Saluk 1992]
- Corticaria pineti* Lohse — add ND [H97, Hansen & al. 1998]
- Corticaria serrata* (Payk.) — add A [B97, T97]
- Corticaria foveola* (Beck) — add I [Tamutis & Zolubas 2001]
- Corticaria longicollis* (Zett.) — add A [T97]
- Corticaria lateritia* Mannh. — add A [J99]
- Melanophthalma suturalis* (Mannh.) — add D [Hansen & al. 1997]
- After genus *Melanophthalma* — add genus *Mig-neauxia* Jacquelain du Val, 1859, with species *M. orientalis* Reitter, 1877 D [Hansen & al. 2000]
- Cis hansenii* Strand — change ? (for B) to A [T97]
- Cis comptus* Gyll. — add I [G93]
- Cis setiger* Mell. — add I [PM97]
- Cis rugulosus* Mell. — add D [Hansen & al. 1997]
- Cis quadridens* Mell. — add AI [J99, PM97]
- Cis punctulatus* Gyll. — change B to A [J99]
- Cis fagi* Waltl — add I [G93]
- Cis castaneus* Mell. — delete N [Vik 1993]
- Ennearthron cornutum* (Gyll.) — add I [G93, PM97]
- Ennearthron laricinum* (Mell.) — add A [J99]
- p. 58**
- Orthocis vestitus* (Mell.) — add A [J99]
- Orthocis festivus* (Panz.) — add AI [J99, PM97]
- Octotemnus mandibularis* (Gyll.) — add A [T97]
- Colydiidae** Er. — change to **Zopheridae** Solier, 1834 (with subfamily **Colydiinae**) [Slipinski & Lawrence 1999]
- Colydium elongatum* (F.) — add I [PM97]
- Aulonium trisulcum* (Geoffr.) — add D [Hansen & al. 1997, Runge 1999]
- Pycnomerini** Er. — transfer to subfamily **Zopherinae** Solier, 1834, after tribe **Orthocerini** [Slipinski & Lawrence 1999]
- Cicones* Curt. — synonymize with *Synchita* Hellw. [Slipinski & Lawrence 1997]
- Orthocerus crassicornis* (Er.) — add E [Miländer 1999 — cf. S97]
- Triphyllus bicolor* (F.) — add A [T97]
- After *Mycetophagus quadripustulatus* (L.) — add *M. ater* (Reitter, 1879) A [B01a]
- Mycetophagus decempunctatus* F. — add I [PM97]
- Mycetophagus fulvicollis* F. — add A [T97]
- After *Mycetophagus multipunctatus* F. — add *M. irroratus* Reitter, 1879 A [T97]
- p. 59**
- Anogcodes ferruginea* (Schrk.) (*adusta* (Panz.)) — add E I [G93, PM97, Miländer 2000]
- Ischnomera sanguinicollis* (F.) — change B to A [T97]
- Oedemera podagrariae* (L.) — add A [T97]
- Oedemera subulata* Ol. — change to *O. pthysica* (Scopoli, 1763) (*subulata* Ol.) [Švihla 1999]
- Pyrochroa serraticornis* (Scop.) — add A [T97]
- Rabocerus gabrieli* (Gerh.) — add I [PM97]
- Sphaeriestes stockmanni* (Bistr.) — add I [PM97]
- p. 60**
- Euglenes pygmaeus* (DeG.) — add I [B01a]
- Hirticomus hispidus* (Rossi) — add A [Telnov 2001]
- Cordicomus sellatus* (Panz.) — add A [T97]
- Sticticomus** — change to **Stricticomus** [error]
- Stricticomus tobias* (Mars.) — add E I [B01a]
- Meloe proscarabaeus* L. — retain N [Vik 1993, ØL00]
- Apalus bimaculatus* (L.) — add A [T97]
- p. 61**
- Myrmecixenus subterraneus* Chevr. — add I [B01a]
- After *Blaps* F. add *Oodescelis* Motschulsky, 1845, with *O. polita* (Sturm, 1807) I [PM97]

After *Phylan* Dej. add ***Pedinus*** Latreille, 1796, with
P. femoralis (Linnaeus, 1767) I [PM97]
Phylan gibbus (F.) — add A [T97]
Palorus depressus (F.) — add AI [T97, PM97]
Tribolium madens Charp. — add I [Tamutis & Zolubas 2001]
Tribolium confusum DuV. — add A [T97]
Tribolium destructor Uytt. — add A [T97]
Upis cerambooides (L.) — add A [T97]
Neatus picipes (Hbst.) — add I [PM97]

p. 62

Corticeus pini (Panz.) — add I [PM97]
Corticeus fasciatus (F.) — add I [PM97]
Allecula morio (F.) — add A [B01a]
Prionychus melanarius (Germ.) — add N [H97]
Mycetochara axillaris (Payk.) — add A [T97]
Mycetochara humeralis (F.) — add A [B01a]
Omophlus rufitarsis (Leske) — change to *O. betulae* (Herbst, 1783) (*rufitarsis* (Leske)) [Lucht & Klausnitzer 1998]
Anaspis bohemica Schky. — add A [J99]
After *Anaspis lurida* Steph. — add *A. viennensis* Schilsky, 1895 E [Miländer 1996]
Anaspis ruficollis (F.) — add I [G93]
Anaspis garneysi Fowl. — add A [J99]
Anaspis flava (L.) — add I [G93, PM97]
Variimorda briantea Com. — add E [Miländer 1996, cf. S97]
Mordella holomelaena Apf. — add I [G93, PM97]

p. 63

Curtimorda maculosa (Naez.) — add I [PM97]
After *Mordellistena parvula* (Gyll.) — add *M. fal-soparvula* Ermisch, 1956 E [Miländer 1996]
Mordellistena rhenana Erm. — add E [Miländer 1996]
After *Mordellistena carinthiaca* Erm. — add *M. gemellata* Schilsky, 1899 E [Miländer 1996]
Mordellistena brevicauda (Boh.) — add I [PM97]
After *Mordellistena brevicauda* (Boh.) — add *M. pseudobrevicauda* Ermisch, 1963 E [Miländer 1996] and *M. stenidea* Mulsant, 1856 I [PM97]
Mordellistena purpureonigrans Erm. — add N E [H97, Miländer 1996]
Mordellistena secreta Hor., cf. S97 — add N [H97]
Mordellochroa abdominalis (F.) — add I [G93, PM97]
Metoecus paradoxus (L.) — add I [PM97]
Orchesia luteipalpis Guill. — add D [Hansen & al. 1999]
Orchesia undulata Kr. — add A [J99]

Phloiotrya rufipes (Gyll.) — add A [J99]
Rushia parreyssii (Muls.) — add A [J99]
Xylita laevigata (Hellenius) — add A [T97]

p. 64

Zilora sericea (Sturm), cf. S97 — add I [G93, PM97]
Conopalpus testaceus (Ol.) — add A [Telnov 2001]
Nothorhina punctata (F.) — add A [B01a]
After *Rhamnusium bicolor* (Schr.) — add *R. gracilicorne* Théry, 1895 I [PM97, cf. Pesarini & Sabbadini 1994]
Evodinus borealis (Gyll.) — add I [PM97]

Pidonia lurida (F.) — delete E [Süda & Miländer 1998]

p. 65

Anoplodera rufipes (Schall.) — delete E [Süda & Miländer 1998]
After *Anoplodera livida* (F.) — add *A. fulva* (De Geer, 1775) I [G93]
Anoplodera scutellata (F.) — add A [Gailis & Vilks 2001]
Anoplodera dubia (Scop.) — delete EA [Süda & Miländer 1998, T97]
Judolia cerambyciformis (Schr.) — change E to ? [Süda & Miländer 1998]
Leptura bifasciata Müll. — add E [Süda & Miländer 1998]
Cerambyx cerdo L. — add A [T97]
Cerambyx scopolii Fuessli — change E to ? [Süda & Miländer 1998]

Ropalopus macropus (Germ.) — add I [G93]

Leioderus kollaris Redt. — add A [B01a]

p. 66

Callidium coriaceum Payk. — add I [G93, PM97]
Cyrtoclytus capra (Germ.) — add A [Gailis & Vilks 2001]
Plagionotus arcuatus (L.) — change E to ? [Süda & Miländer 1998]
Anaglyptus mysticus (L.) — add A [T97]
As first in **Lamiinae** add **Dorcadionini** Latreille, 1825, with **Dorcadion** Dalman, 1817, *D. fuliginator* (Linnaeus, 1758) A [T97]
Monochamus sartor (F.) — delete E [Süda & Miländer 1998]
Pogonoherus hispidulus (Pill. & M.) — add I [G93, Tamutis & Zolubas 2001]
Pogonoherus ovatus (Gze.) — delete E [Süda & Miländer 1998]
Leiopus punctulatus (Payk.) — add A [T97]

p. 67

- Stenostola dubia* (Laich.) — add A [T97]
Phytoecia cylindrica (L.) — add I [PM97]
After *Donacia semicuprea* — add *D. malinowskyi* Ahrens, 1810 (*malinowskyi* auct.) I [G93, PM97]
Donacia fennica (Payk.) — add I [B01a]
Donacia brevicornis Ahr. — add N [H97, Hansen & al. 1999]
Donacia antiqua Kunze — add I [PM97, B01a]
Plateumaris discolor (Hbst.) — add I [PM97]
Crioceris duodecimpunctata (L.) — add S [Lundberg 1997]
Crioceris asparagi (L.) — add I [PM97]
Zeugophora subspinosa (F.) — add I [PM97]

p. 68

- After *Labidostomis humeralis* (Schn.) — add *L. lucida* (Germar, 1823) A [T97]
After *Labidostomis longimana* (L.) — add *L. lepida* Lefevre, 1872 A [T97]
Smaragdina affinis (Ill.) — add A [T97]
After *Cryptocephalus hypochoeridis* (L.) — add *C. violaceus* Laicharting, 1781 I [PM97]
Cryptocephalus quadripustulatus Gyllenhal, 1813 — change author to Fabricius, 1775 [orig.]
After *Cryptocephalus flavipes* F. — add *C. signatifrons* Suffrian, 1847 A [T97]
After *Cryptocephalus pini* (L.) — add *C. frenatus* Laicharting, 1781 I [G93, PM97]
After *Cryptocephalus pallifrons* Gyll. — add *C. janthinus* Germar, 1824 I [PM97]
After *Cryptocephalus bilineatus* (L.) — add *C. elegantulus* Gravenhorst, 1807 A and *C. chrysopus* Gmelin, 1790 A [T97]

- Cryptocephalus frontalis* Marsh. — add I [PM97]
Cryptocephalus quercreti Suffr. — add AI [T97, PM97]
Cryptocephalus exiguum Schn. — add A [T97]
After *Cryptocephalus exiguum* — add *C. pygmaeus* Fabricius, 1792 A [T97]
After *Cryptocephalus fulvus* (Gze.) — add *C. populi* Suffrian, 1848 A [T97]
Cryptocephalus rufipes (Gze.) — add A [T97]
Chrysochus asclepiadeus (Pall.) — add A [T97]
Pachnephorus pilosus Rossi — add A [T97]
Leptinotarsa decemlineata (Say) — change i to F [Tomminen 1999]
After *Chrysolina cerealis* (L.) — add *C. relicans* (Rosenhauer, 1847) K [Bienkowski 1997a]

After *Chrysolina haemoptera* (L.) — add *C. fuliginosa* (Olivier, 1807) A [T97]
After *Chrysolina latecincta* (Demais.) — add *C. kuesteri* (Helliesen, 1911) A [T97]

p. 69

- Chrysolina geminata* (Payk.) — add I [PM97]
Chrysolina rufa (Duft.) — add A [T97]
Chrysolina quadrigemina (Suffr.) — add A [T97, cf. S97]
Oreina rugulosa (Suffr.) — change to *O. luctuosa* (Olivier, 1807) (*rugulosa* (Suffrian, 1851) nec (Gebler, 1841), *suffriani* Bontems, 1984) [Bontems 1984]

Linaeidea Motsch. — change to **Plagiosterna** Motschulsky, 1860 (**Linaeidea** Motschulsky, 1860) [Biondi & Daccordi 1999]

- Phratora polaris* (Sp.Schn.) — add A [T97]
After genus *Entomoscelis* Chevr. add **Timarchini** Motschulsky, 1860, with genus **Timarcha** Dejean, 1821, and species *T. tenebricosa* (Fabricius, 1775) A, and *T. goettingensis* (Linnaeus, 1758) AI [T97, PM97]

- After *Galeruca laticollis* Sahlb. — add *G. dahli* (Joannis, 1866) A [T97]
Xanthogaleruca luteola (Müll.) — add A [T97]
Sermylissa halensis (L.) — add A [B01a]

p. 70

- Phyllotreta armoraciae* (Koch) — add D [Pedersen & al. 2001]

- Aphthona abdominalis* (Duft.) — add I [PM97]
After *Aphthona lutescens* (Gyll.) — add *A. nigriceps* (Redtenbacher, 1842) A [T97]

- Aphthona violacea* (Koch) — add I [PM97]
Aphthona pygmaea (Kutsch.) — add A [T97]
After *Longitarsus succineus* (Foudr.) — add *L. noricus* Leonardi, 1976 A [Warchałowski 1996]

- After *Longitarsus succineus* (Foudr.) — add *L. aeruginosus* (Foudras, 1860) A [T97]
Longitarsus rubiginosus (Foudr.) — delete N [Vik 1993]

- After *Longitarsus lycopi* (Foudr.) — add *L. membranaceus* (Foudras, 1860) A [T97]
Longitarsus plantagomaritimus Dollm. — add K [Bienkowski 1997b]

- Longitarsus kutscherai* (Rye) — add K I [Bienkowski 1997b, Tamutis 1999]
Longitarsus curtus (All.) — add N [ØL00]
Longitarsus exoletus (L.) — change to *L. exoletus*

- (L.) [orig.]
After *Longitarsus exsoletus* (L.) — add *L. longipennis* Kutschera, 1863 A [T97]
Longitarsus ganglbaueri Heik. — add N A [Ødegaard 1994, T97]
Longitarsus aeneicollis (Fald.) — delete EAI [Warchałowski 1996]
Longitarsus brunneus (Duft.) — add A [T97]
After *Longitarsus brunneus* (Duft.) — add *L. minusculus* (Foudras, 1860) A [T97]
After *Longitarsus fuscoaeneus* (Redt.) — add *L. echii* (Koch, 1803) I [PM97]
Longitarsus niger (Koch) — add I [G93]
Longitarsus oblitteratus (Rosh.) — add I [PM97]
After *Altica aenescens* Wse. — add *A. ampelophaga* (Guérin-Ménéville, 1858) A [T97]
Altica lythri Aubé — add I [PM97]
Hermaeophaga mercurialis (F.) — add I [G93]
After genus *Lythraria* Bed. — add *Ochrosis* Foudras, 1860, with *O. ventralis* (Illiger, 1807) A [T97]
- p. 71**
Neocrepidodera interpunctata (Motsch.) — add N AI [H97, G93, T97, PM97]
Neocrepidodera motschulskii Konst. — add A [B97, T97]
Derocrepis rufipes (L.) — add I [PM97]
Chaetocnema brevicollis (Thoms.) — change to *C. laevicollis* (Thoms.) [error in S97]
After *Chaetocnema tibialis* (Ill.) — add *C. obesa* (Boieldieu, 1859) A [T97]
Chaetocnema breviuscula (Fald.) — add I [PM97]
Chaetocnema mannerheimii (Gyll.) — add I [PM97]
Chaetocnema arida Foudr. — add I [PM97]
Chaetocnema subcoerulea Kutsch. — add A [T97]
After *Chaetocnema sahlbergii* (Gyll.) — add *C. compressa* (Letzner, 1846) A [T97]
Sphaeroderma testaceum (F.) — add I [G93, PM97]
Mniophila muscorum (Koch) — add I [PM97]
Psylliodes marcida (Ill.) — add I [PM97]
Psylliodes picina (Marsh.) — add A [T97]
Psylliodes isatidis Heik. — add N [Ødegaard 1994]
After *Psylliodes crambicola* Lohse — add *P. cuprea* (Dufschmid, 1825) A [T97]
Psylliodes cupreata (Duft.) — add I [PM97]
Hispa atra L. — add I [PM97]
Pilemostoma fastuosa (Schall.) — add I [PM97]
After *Cassida berolinensis* Suffr. — add *C. lineola* Creutzer, 1799 A [T97]
- Cassida seladonia* Gyll. — add A [T97]
After *Cassida vibex* — add *C. pannonica* Suffrian, 1844 AI [T97, PM97]
Cassida stigmatica Suffr. — add AI [T97, PM97]
Cassida prasina Ill. — delete D [Hansen & al. 1998]
After *Cassida prasina* Ill. — add *C. subreticulata* Suffrian, 1844 A [T97]
- p. 72**
Bruchus rufimanus Boh. — add A [T97]
Bruchus affinis Fröl. — add N [ØL00]
Bruchidius marginalis (F.) — cf. S97 — add I [G93, PM97, B01a]
Spermophagus sericeus (Geoffr.) — add I [PM97]
Anthribidae Billb., after family name add **Uro-dontinae** Thomson, 1859, with genus **Bruchela** Dejean, 1821, and species *B. suturalis* (Fabricius, 1792) I [PM97]
Platyrrhinus resinosus (Scop.) — add A [T97]
Choragus horni Wolfr. — add A [T97]
Doydirhynchinae — change to **Cimberidinae** Des Gozis, 1882 [Alonso-Zarazaga & Lyal 1999]
Cimberidini Bradley, 1930 — change author to Des Gozis, 1882 [Alonso-Zarazaga & Lyal 1999]
Pselaphorhynchites Schilsky, 1903 — change to *Temnocerus* Thunberg, 1815 (*Pselaphorhynchites* Schilsky, 1903, *Caenorhinus* auct.) [Alonso-Zarazaga & Lyal 1999]
Temnocerus tomentosus (Gyll.) — add I [G93, PM97]
Temnocerus longiceps (Thoms.) — add I [PM97]
Temnocerus germanicus (Hbst.) — add I [G93]
Temnocerus aeneovirens (Marsh.) — add I [G93, PM97]
Temnocerus interpunctatus (Steph.) — add E [Miller 1999]
- p. 73**
Bytiscini Voss, 1929 — change year to 1923 [Alonso-Zarazaga & Lyal 1999]
Apoderinae Lacordaire, 1863 — change author to Jekel, 1860 [Alonso-Zarazaga & Lyal 1999]
Apion dispar Germ. — add A [T97]
Apion hookeri Kirby, 1808 — change to *Apion hookerorum* Kirby, 1808 [Gønget 1997]
Apion gibbirostre Gyll. — add I [PM97]
Apion aeneum (F.) — add I [PM97]
Apion elongatum Germ. — add A [T97]
Apion urticarium (Hbst.) — add I [PM97]
After *Apion difficile* — add *A. elongatulum* Desb-

rochers des Loges, 1891 I [G93]
Apion astragali (Payk.) — add I [G93, PM97]
Apion gracilipes Dietr. — add I [Gønget 1997]
Apion interjectum Desbr. — change to subspecies
 A. i. boreum Gønget, 1997 [Gønget 1997]
Apion simum Germ. — add K [Gønget 1997]
Apion sedi Germ. — add A [T97]
Apion frumentarium (L.) — add N [Gønget 1997]
 — cf S97
Apion cruentatum Walt. — add I [PM97]
Apion rubens Steph. — do not delete FK [cf.
 Gønget 1997]
Apion rubens Steph. — add N [H97]
Apion meieri Desbr. — add N [Sagvolden & Han-
 sen 1996]
Apion tenue Kby. — add N [Sagvolden & Hansen
 1996]
Apion ebeninum Kby. — add I [G93]

p. 74

Apion aethiops Hbst. — add I [PM97]
Apion pavidum Germ. — add I [PM97]
 After *Apion immune* Kby. — add A. *punctirostre*
 Gyllenhal, 1839 I [G93]
Apion columbinum Germ. — add N [H97]
Apion afer Gyll. — add K [Gønget 1997]
Apion craccae (L.) — add N [Gønget 1997]
Apion pomonae (F.) — add A [B01a]
 After *Apion viciae* — add synonym *A. voisini* Ehret,
 1997 [Gønget 1997]
Apion ervi Kby. — add I [G93, PM97]
Apion melancholicum Wenck. — add N [ØL00]
Nanophyes sahlbergi (Sahlb.) — add D [Gønget 1997]
Otiorhynchus lugdunensis Boh. — add E [Miländer
 & Roosileht 2001]
 After *Otiorhynchus lugdunensis* Boh. — add *O.*
fuscipes (Olivier, 1807) E [Miländer & Roosileht
 2001]
Otiorhynchus rugosostriatus (Gze.) — add N [Sag-
 volden & Hansen 2001]
Otiorhynchus singularis (L.) — add A [B01a]
Otiorhynchus sulcatus (F.) — add A [T97]
Otiorhynchus rugifrons (Gyll.) — add A [T97]
 After *Otiorhynchus rugifrons* (Gyll.) — add *O. sm-
 reczynskii* Cmoluch, 1968 D [Hansen & al. 2000]
Otiorhynchus ligustici (L.) — add A [T97]
Simo hirticornis (Hbst.) — add N [Zachariassen 1996]
Trachyphloeus spinimanus Germ. — add A [T97]
Trachyphloeus scabriculus (L.) — add E [Miländer
 1999]

Phyllobius parvulus (Olivier, 1807) — change to
P. roboreanus Gredler, 1882 (*parvulus* (Olivier,
 1807) nec (Fabricius, 1792)) [Morris 1997]
Phyllobius betulinus (Bechst. & Sch.) — add A [T97]
Phyllobius calcaratus (Fabricius, 1792) — change
 to *P. glaucus* (Scopoli, 1763) (*calcaratus* (Fab-
 ricius, 1792)) [Morris 1997]

p. 75

Polydrusus sericeus (Schaller, 1783) — change to
P. splendidus (Herbst, 1784) (*sericeus* (Schaller,
 1783) nec (Goeze, 1777)) [Morris 1997]
Strophosoma fulvicorne Walt. — add A [T97]
Strophosoma faber (Hbst.) — add A [T97]
Liophloeus lentsus herbsti Gyll. — delete F [Man-
 nerkoski 1999b]
Barynotus moerens (F.) — add N [H97]
Tropiphorini Leng, 1920 — change author to Mar-
 seal, 1863 [Alonso-Zarazaga & Lyal 1999]
Chlorophanus graminicola (Schönh.) — add E
 [Miländer 1999]
Chlorophanus pollinosus (F.) (*gibbosus* (Payk.)) —
 delete E [Miländer 1999 — cf. S97]

p. 76

Lixus punctiventris Boh. — add I [PM97], cf. [S97]
Coniocleonus nigrosuturatus (Gze.) — delete A
 [T97, cf. S97]
Chromoderus Motschulsky, 1860 — change to
Bothrynoderes Schönherr, 1823 (*Chromoderus*
 Motschulsky) [Alonso-Zarazaga & Lyal 1999]
Cyphocleonus trisulcatus (Hbst.) — add I [G93]
Gronops inaequalis Boh. — add A [T97]
Hypera vidua Gené — add N [H97, Hansen & al. 1999]

p. 77

Notaris bimaculatus (F.) — add I [G93, PM97]
Notaris scirpi (F.) — add I [G93, PM97]
Notaris acridulus (L.) — add I [G93, PM97]
Notaris maerkeli (Boh.) — add A [T97]
Dorytomus nordenskioldi Faust — add I [PM97]
Dorytomus suratus (Gyll.) — add I [PM97]
Dorytomus dejeani Faust — add I [PM97]
Dorytomus melanophthalmus (Payk.) — add I [PM97]
Dorytomus salicis Walt. — add I [PM97]
Stereonychus fraxini (DeG.) — add I [B01a]
Tychius parallelus (Panz.) — add I [G93]
Tychius polylineatus (Germ.) — add I [PM97]
Tychius schneideri (Hbst.) — add I [PM97]
Tychius trivialis Boh. — add D [Hansen & al. 1998]
Tychius sharpii Tourn. — add A [B97]

- Sibinia phalerata* (Gyll.) — add I [PM97]
 After *Sibinia sodalis* Germ. — add *S. nigritarsis* (Desbrochers des Loges, 1875) A [T97]
- p. 78
Anthonomus piri Koll. — add A [T97]
Anthonomus brunnipennis Curt. — add N E I [B01a, Barševskis 2001c]
Rhynchaenus rufus (Schr.) — add A [J99]
Rhynchaenus pilosus (F.) — add I [G93, PM97]
Rhynchaenus quercus (L.) — add I [PM97]
Tachyerges pseudostigma (Temp.) — add N [Ødegaard 2001, cf. S97]
Rhamphus oxyacanthae (Marsh.) — add A [T97]
 After *Rhamphus oxyacanthae* (Marsh.) — add *R. subaeneus* (Illiger, 1807) I [PM97]
Gymnetron labile (Hbst.) — transfer to *Miarus*, add N [Caldara 2001, H97]
Gymnetron pascuorum (Gyll.) — transfer to *Miarus* [Caldara 2001]
Gymnetron villosulum Gyll. — add S I [Gillerfors 1997b, PM97]
Gymnetron beccabungae (L.) — add I [G93]
 After *Gymnetron* Schönh. — add genus *Rhinusa* Stephens, 1829 [Caldara 2001]
Gymnetron tetricum (F.) — transfer to *Rhinusa* [Caldara 2001]
Gymnetron antirrhini (Payk.) — transfer to *Rhinusa* [Caldara 2001]
Gymnetron hispidum Brullé — transfer to *Rhinusa* [Caldara 2001]
Gymnetron netum (Germ.) — transfer to *Rhinusa* [Caldara 2001]
- p. 79
Gymnetron thapsicola (Germ.) — transfer to *Rhinusa* [Caldara 2001]
Gymnetron collinum (Gyll.) — transfer to *Rhinusa* [Caldara 2001]
Gymnetron linariae (Panz.) — transfer to *Rhinusa* [Caldara 2001]; add I [B01a]
 After *Miarus* Schönh. — add genus *Cleopomiarus* Pierce, 1919 (*Miaromimus* Solari, 1947) [Caldara 2001]
Miarus micros (Germ.) — transfer to *Cleopomiarus* [Caldara 2001]
Miarus distinctus (Boh.) — transfer to *Cleopomiarus*, add I [Caldara 2001, G93]
Miarus graminis (Gyll.) — transfer to *Cleopomiarus*, add I [Caldara 2001, G93, PM97]
- Miarus dulcinasutus* Kangas — transfer to *Cleopomiarus* [Caldara 2001]
Miarus graminoides Kangas — transfer to *Cleopomiarus* [Caldara 2001]
 After *Anoplus roboris* — add *A. setulosus* Kirsch, 1870 I [G93]
Dicranus elegans (F.) — add I [G93, PM97]
Bagous angustus Silf. — change to *Bagous tubulus* Caldara & O'Brien, 1994 (*scanicus* Silfverberg, 1997, *angustus* Silfverberg, 1977 nec Tanner, 1954) [Caldara & O'Brien 1994, Silfverberg 1997b], add I [PM97]
Bagous lutulosus (Gyll.) — add E [Miländer 1999]
Bagous diglyptus Boh. — add N [H97]
Bagous robustus Bris. — add S [Palm 1999]
Bagous lutulentus Gyll. (*nigritarsis* Thoms.) — add I [G93, PM97]
 After *Pselactus* Broun — add *Pseudophloeopagrus* Wollaston, 1873 (*Caulotrupodes* Voss, 1955), with *P. aeneopiceus* (Bohemian, 1845) I [PM97]
Rhyncolus ater (L.) — add I [PM97]
- p. 80
Brachytemnus porcatus (Germ.) — add AI [T97, G93]
Magdalisch phlegmatica (Hbst.) — add I [PM97]
Magdalisch nitida (Gyll.) — add I [G93]
Magdalisch memnonia (Gyll.) — add E [Miländer 1999]
 After *Magdalisch carbonaria* — add *M. caucasica* Tournier, 1872 A [J99]
Hylobius transversovittatus (Gze.) — add N [H97]
Liparus coronatus (Gze.) — add A [T97]
Acalles roboris Curt. — add I [PM97]
Acalles camelus (F.) — add A [J99]
Acalles parvulus Boh. — add N [Hansen 1994]
Mononychus punctumalbum (Hbst.) — add A [T97]
- p. 81
Litodactylus Redt. — change to *Phytobius* Schönherr, 1833 (*Litodactylus* Redtenbacher, 1845) [Opinion 1968]
Phytobius Dej. — change to *Pelenomus* Thomson, 1859 (*Phytobius* Dejean, 1835, nec Schönherr, 1833) [Opinion 1968]
Pelenomus (ex *Phytobius*) *comari* (Hbst.) — change to *P. comari* (Panzer, 1794) (*comari* (Herbst, 1795)) [Colonnelli 1998]
Pelenomus (ex *Phytobius*) *waltoni* Boh. — add I [G93, PM97]
Poophagus sisymbrii (F.) — add I [G93]

Tapinotus sellatus (F.) — add N [H97, Hansen & al. 1999]

Coeliodes nigritarsis Hartm. — add N [ØL00]

Coeliodes dryados (Gmel.) — change to *C. rana* (Fabricius, 1787) (*dryados* (Gmelin, 1790)) [Colonnelli 1998]

Coeliodes erythroleucus (Gmel.) — change to *C. transversealbofasciatus* (Goeze, 1777) (*erythro-leucus* (Gmelin, 1790)) [Colonnelli 1998]

Zacladus geranii (Payk.) — add I [G93, PM97]

Ceutorhynchus contractus (Marsh.) — change to *C. pallipes* Crotch, 1866 (*minutus* (Reich, 1797) nec (Drury, 1773), *contractus* (Marsham, 1802) nec (Geoffroy, 1785)) [Colonnelli 1998 & pers.comm.]

Ceutorhynchus pervicax Wse. — add A [T97]

Ceutorhynchus alliariae Bris. — add S [Palm 1999]

p. 82

Ceutorhynchus inaffектatus Gyll. — add A [T97]

Ceutorhynchus suturalis (F.) — add I [G93, PM97, cf S97]

Ceutorhynchus floralis (Payk.) — change to *C. typhae* (Herbst, 1795) (*floralis* (Paykull, 1792) nec (Olivier, 1790)) [Colonnelli 1998]

Ceutorhynchus cakilis (Hansen) — add E [Silfverberg 2000]

After *Ceutorhynchus pyrrhorhynchus* (Marsh.) — add *C. denticulatus* (Schrantz, 1781) I [PM97]

Ceutorhynchus angulosus Boh. — add E [Miländer 1999]

Ceutorhynchus melanostictus (Marsh.) — delete F [Clayhills 1999b]

Ceutorhynchus figuratus Gyll. — synonymize with *C. rugulosus* (Hbst.) [Colonnelli 1998]

Ceutorhynchus litura (F.) — add I [G93]

After *Ceutorhynchus euphorbiae* Bris. — add *C. abbreviatulus* (Fabricius, 1792) I [PM97]

Ceutorhynchus asperifoliarum (Gyll.) — add AI [T97, PM97]

Ceutorhynchus cruciger (Hbst.) — change to *C. crucifer* (Pallas, 1771) (*cruciger* (Herbst, 1784)) [Colonnelli 1998]

Ceutorhynchus javeti Bris. — change to *C. javetii* Gerhardt, 1867 (*javeti* Brisout de Barneville 1869) [Colonnelli 1998]

Sirocalodes depressicornis (Gyll.) — add I [PM97]

Trichosirocalus barnevilliei (Gren.) — add AI [T97, PM97]

Coryssomerus capucinus (Beck) — add I [PM97]

Hylurgops starki Egg. — change to synonym of *Hylastes cunicularius* Er. [Pfeffer 1995]

Hylastes ater (F.) — delete E [Voolma & al. 1998]

Hylastes attenuatus Er. — add A [T97]

Hylastes angustatus (Hbst.) — add K [Mandelstam & Popovichev 2000]

After *Hylastes opacus* Er. — add *H. obscurus* Chaspis, 1875 (*septentrionalis* Eggers, 1923) K [Pfeffer 1995]

p. 83

Hylesinus oleiperda (F.) — add A [T97]

Hylurgus ligniperda (F.) — delete N [Vik 1993]

Phloeotribus rhododactylus (Marsh.) — delete F [Heliövaara & al. 1998]

Phloeotribus spinulosus (Rey) — add I [PM97]

Scolytus scolytus (F.) — add A [T97]

Scolytus malii (Bechst. & Sch.) — add A [T97]

Scolytus intricatus (Ratz.) — add A [T97]

Scolytus rugulosus (Ratz.) — add A [T97]

Pityogenes trepanatus (Nördl.) — add K [Mandelstam & Popovichev 2000]

Orthotomicus longicollis (Gyll.) — add EI [Voolma & al. 1998, G93]

Ips cembrae (Heer) — add K and synonym *subelongatus* Motschulsky, 1860 [Pfeffer 1995, Mozolevskaya & Sharapa 1996, Mandelstam & Popovichev 2000] — cf. S97

Lymantor aceris (Lindem.) — delete E [Voolma & al. 1998]

Taphrorychus bicolor (Hbst.) — add N [H97]

Dryocoetes villosus (F.) — delete E, add A [Voolma & al. 1998, T97]

Dryocoetus alni (Georg) — add I [PM97]

Trypodendron proximum (Nijj.) — change to *T. laeve* Eggers, 1939 (*proximum* auct.) [Voolma & al. 2000]

p. 84

Xyleborus cryptographus Ratz. — add I [Tamtis & Zolubas 2001]

Xyleborus monographus (F.) — add I [PM97]

Xyleborinus saxesenii (Ratz.) — add N I [H97, PM97, Tamtis & Zolubas 2001]

Trypophloeus bispinulus Egg. — add K [Mandelstam & Popovichev 2000]

Ernporus tiliae Panz. — add AI [T97, Tamtis & Zolubas 2001]

Pityophthorus pityographus (Ratz.) — delete E [Voolma & al. 1998]

Pityophthorus lichtensteinii (Ratz.) — add A [J99]

Pityophthorus morosovi Spess. — add F [Heliövaara & al. 1998]

After genus *Pityophthorus* Eichh. — add *Gnathotrichus* Eichhoff, 1868, with *G. materiarius* (Fitch, 1855) F [Valkama & al. 1997]

Platypus cylindrus (F.) — add A [T97]

References

- Alonso-Zarazaga, M.A. & Lyal, C.H.C. 1999. A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (Excepting Scolytidae and Platypodidae). — Entomopraxis, Barcelona, 315 pp.
- Assing, V. 1997a. A revision of the Western Palaearctic species of *Myrmecopora* Saulcy, 1864, sensu lato and *Eccoptoglossa* Luze, 1904 (Coleoptera: Staphylinidae, Aleocharinae, Falagriini). — Beitr. Entomol. 47:69-141.
- 1997b. A revision of *Othius* Stephens, 1829. III. The species of the Western Palaearctic region exclusive of the Atlantic Islands (Coleoptera: Staphylinidae: Xantholininae). — Nova Suppl. Entomol. 10:1-130.
- 1998. A Revision of the Palaearctic Species of *Zoosetha* Mulsant & Rey and *Poromniusa* Ganglbauer (Coleoptera, Staphylinidae, Aleocharinae). — Deutsche Entomol. Zschr. 45:73-94.
- 1999a. A revision of *Ilyobates* Kraatz, 1856 (Coleoptera: Staphylinidae, Aleocharinae, Oxypodini). — Beitr. Entomol. 49:295-342.
- 1999b. Über *Astenus longelytratus* Palm, A. *brevelytratus* Lohse und *A. lyonessius* (Joy) (Coleoptera, Staphylinidae). — Entomol. Bl. 95:32-34.
- Assing, V. & Schülke, M. 1999. Supplemente zur mitteleuropäischen Staphylinidenfauna (Coleoptera, Staphylinidae). — Entomol. Bl. 95:1-31.
- 2001. Supplemente zur mitteleuropäischen Staphylinidenfauna (Coleoptera, Staphylinidae) II. — Entomol. Bl. 97:121-176.
- Assing, V. & Wunderle, P. 1997. A revision of the species of *Euryalea* Mulsant & Rey, *Pseudocalea* Luze and *Ocyota* Sharp (Coleoptera, Staphylinidae, Aleocharinae). — Entomol. Bl. 93:93-126.
- Audisio, P., Belfiore, C., De Biase, A. & Antonini, G. 2001. Identification of *Meligethes matronalis* and *M. subaeneus* based on morphometric and ecological characters (Coleoptera: Nitidulidae). — Europ. Journ. Entomol. 98:87-97.
- Balčiauskas, L., Auglys, J., Balčiauskinė, L., Balvočiutė, J., Budrys, E., Juškaitis, R., Kulbis, A., Makavičius, D., Monsevičius, V., Pakalniškis, S., Pauža, D.H., Paužienė, N., Stukonis, V., Stratford, J., Trakimas, G. & Ulevičius, A. 1998. Biodiversity evaluation at the local level: Methodological and territorial aspects. — Acta Zool. Lituan. 7:50-108.
- Barševskis, A. 1997. Augšdaugavas vaboļu (Insecta: Coleoptera) faunistiskās īpatnības. — Daba un Muzejs 7:8-9.
- 1998. *Zorochros minimus* (Lacordaire, 1835) (Coleoptera: Elateridae) — jauna sprāķšķu suga Latvijas faunai. — Latvijas Entomol. 36:44-45.
- 1999. Latgales vaboļu (Insecta: Coleoptera) fauna. Adefago vaboļu apakšķerta (Adephaga). — Acta Latgalica 1999 (10):325-365.
- 2001a. New and rare species of beetles (Insecta: Coleoptera) in the Baltic countries and Belarus. — Baltic Journ. Coleopterol. 1:3-18.
- 2001b. New data on the Ptiliidae of the fauna of Latvia. — Baltic Journ. Coleopterol. 1:71-74.
- 2001c. Coleoptera from the Melsomvik area, Norway; collected during 28 June to 2 July 2000. — Norw. Journ. Entomol. 48:213-216.
- 2002. A check-list of Latvian Carabidae (Coleoptera: Adephaga). — Baltic Journ. Coleopterol. 2:127-136.
- Barševskis, A. & Savenkov, N. 2001. Materials on Latvian Buprestidae (Coleoptera) fauna. — Latvijas Entomol. 38:4-12.
- Bellamy, C.L. 1997. A clarification of authorship of buprestid genera originally defined in the catalogues of P.F.M.A. Dejean (Coleoptera, Buprestidae). — Fragm. Entomol. 29:365-382.
- Bienkowski, A.O. 1997a. Some surprising discoveries of *Chrysolina relicens* (Coleoptera, Chrysomelidae) on the White Sea shore, in Siberia and in the Far East. — Entomol. Fenn. 7:195-199.
- 1997b. New distributional records for several Palaearctic Chrysomelidae species with some systematic remarks. — Faunist. Abh. Mus. Tierk. Dresden 21:91-104.
- Biondi, M. & Daccordi, M. 1999. A proposed new supra-specific classification of *Chrysomela* Linné and other related genera, and a description of new taxa. — Atti Mus. reg. Sci. nat. Torino, 1998:49-71.
- Biström, O., Albrecht, A., Huldén, L. & Salminen, J. 2001. Leppäpirkojen levinneisyys Suomessa

- sa (Coleoptera, Coccinellidae). — Sahlbergia 6:9-28.
- Bocak, L. 2002. Generic revision and phylogenetic analysis of the Metriorhynchinae (Coleoptera: Lycidae). — Europ. Journ. Entomol. 99:313-351.
- Bontems, C. 1984. Les *Allorina* de France et des régions limitrophes (Coleoptera, Chrysomelidae). — Nouv. Rev. Entomol. (N.S.) 1:179-201.
- Borowski, J. 1996. Część XIX Chrząszcze — Coleoptera. Zeszyt 42 Pustoszowate — Ptinidae. — Klucze oznacz. owad. Polski 149:1-43.
- Bowestead, S. 1999. A revision of the Corylophidae (Coleoptera) of the West Palaearctic Region. — Instrumenta Biodiversitatis (Genève) 3:1-203.
- Březina, B. 1999. World Catalogue of the Genus *Carabus* L. — Pensoft, Sofia & Moscow, 170 pp.
- Brown, W.J. 1967. Notes on the Extralimital Distribution of Some Species of Coleoptera. — Canad. Entomol. 99:85-93.
- Büche, B. & Lundberg, S. 2002. A new species of deathwatch beetle (Coleoptera: Anobiidae) discovered in Europe. — Entomol. Fenn. 13: 79-84.
- Caldara, R. 2001. Phylogenetic analysis and higher classification of the tribe Mecinini (Coleoptera: Curculionidae, Curculioninae). — Koleopterol. Rdsch. 71:171-203.
- Caldara, R. & O'Brien, C.W. 1994. On the systematic position and nomenclature of some species of the genus *Bagous* Germar, 1817 (Coleoptera: Curculionidae). — Giorn. ital. Entomol. 7:1-4.
- Cibūlskis, R. 1998. Latvijas faunai jaunas īsspārņu (Coleoptera, Staphylinidae) sugas. — Latvijas Entomol. 36:66-68.
- 1999. Jaunas ziņas par Omaliinae (Coleoptera, Staphylinidae) apakšdzimtas īsspārņiem Latvijā. — Latvijas Entomol. 37:33-37.
- 2001. Jaunas (Coleoptera, Staphylinidae) sugas Latvijas īsspārņu faunā. (New species of rove-beetles (Coleoptera, Staphylinidae) in fauna of Latvia.) — Latvijas Entomol. 38:13-20.
- Clayhills, T. 1999a. Short reports: *Atomaria lapponica* Johnson, 1978 and *A. strandi* Johnson, 1967 (Cryptophagidae). — Entomol. Fenn. 10:2.
- 1999b. Short reports: *Ceutorhynchus melanostictus* (Marsham) (Curculionidae). — Entomol. Fenn. 10:5.
- 2000. On the occurrence of the genus *Hyperraspis* (Col. Coccinellidae) in Fenno-Scandian countries. — Entomol. Fenn. 11:109-112.
- 2001. Suomelle uusia lajeja — För Finland nya arter: *Dermestes haemorrhoidalis* (Dermestidae). — Sahlbergia 6:37-38.
- Clayhills, T., Rinne, V. & Koponen, S. 2000. Saaristomeren kansallispuiston niveljalkaiset. Perinnebiotooppien ja hiekkasaarten kova-kuoriaiset, luteet, kaskaat ja hämähäkit. — Metsähallituksen luonnonsuoj.julk. A 113:1-87.
- Colonelli, E. 1998. Systematic and synonymic notes on Ceutorhynchinae, with lectotype and neotype designations, and descriptions of three new genera (Coleoptera, Curculionidae). — Fragm. Entomol. 30:105-175.
- Coombs, C.W. & Woodroffe, G.E. 1962. A note on the nomenclature, taxonomy and distribution of certain European species of *Cryptophagus* Herbst (Coleoptera: Cryptophagidae). — Proc. R. Entomol. Soc. London (B) 31:103-106.
- Cuccodoro, G. & Löbl, I. 1997. Revision of the Palaearctic rove beetles of the genus *Megarthrus* Curtis (Coleoptera: Staphylinidae: Proteininae). — Journ. Nat. Hist. 31:1347-1415.
- Ehnström, B. & Lundberg, S. 1997. *Cryptolaemus montrouzieri*, en nyckelpiga som används för biologisk bekämpning i växthus i Sverige. — Entomol. Tidskr. 118:59-60.
- Ericson, B. 1999. Nya fynd av rapsbaggar (Coleoptera: Nitidulidae: *Meligethes*) med tre för Sverige nya arter. — Entomol. Tidskr. 120: 117-125.
- 2001. Fynd av för Sverige nya och sällsynta kortvingar inom underfamiljen Oxytelinae (Coleoptera: Staphylinidae). — Entomol. Tidskr. 122:99-105.
- Forstén, A., Silfverberg, H. & Terhivuo, J. 1997. Accessions to the Zoological Museum of the Finnish Museum of Natural History, University of Helsinki/Helsingfors in 1996. — Memoranda Soc. Fauna Flora Fenn. 73:65-67.
- 1998. Accessions to the Zoological Museum of the Finnish Museum of Natural History, University of Helsinki/Helsingfors in 1997. — Memoranda Soc. Fauna Flora Fenn. 74:89-91.
- 2000. Accessions to the Zoological Museum of the Finnish Museum of Natural History, University of Helsinki/Helsingfors in 1999. — Memoranda Soc. Fauna Flora Fenn. 76:61-63.
- Frisch, J. 1997. A revision of some West Palaearctic

- species of *Scopaeus* Erichson (Coleoptera, Staphylinidae, Paederinae). — Rev. Suisse Zool. 104:523-557.
- Gaidiene, E. (ed.) 1993. T. Ivanauskos zoologijos muziejaus entomologinių rinkinių katalogas. — Kaunas, 1-242.
- Gailis, J. & Vilks, K. 2001. New data on rare beetles (Insecta, Coleoptera) in Latvia. — Latvijas Entomol. 38:52-55.
- Gillerfors, G. 1997a. A new species of the genus *Gabrius* Stephens from Sweden (Coleoptera: Staphylinidae). — Entomol. Scand. 28:83-85.
- 1997b. Fynd av tre nya skalbaggar för Sverige. — Entomol. Tidskr. 118:61-62.
- Gønget, H. 1997. The Brentidae (Coleoptera) of Northern Europe. — Fauna Entomol. Scand. 34:1-289.
- Hansen, L.O., Ligaard, S. & Sagvolden, B. 1999. Notes on Norwegian Coleoptera. 4. — Fauna Norv., Ser. B 45:77-82.
- Hansen, M. 1998. *Agonum duftschmidi* Schmidt og *A. hypocrita* (Apfelbeck) — to nye danske løbebiller af *Agonum viduum*-gruppen (Coleoptera, Carabidae). — Entomol. Meddel. 66:21-30.
- 1999. Hydrophiloidea (Coleoptera). — World Catalogue of Insects 2:1-416.
- Hansen, M., Jørum, P., Palm, E. & Pedersen, J. 1997. Fund af biller i Danmark, 1996 (Coleoptera). — Entomol. Meddel. 65:119-148.
- Hansen, M., Palm, E., Pedersen, J. & Runge, J.B. 1998. Fund af biller i Danmark, 1997 (Coleoptera). — Entomol. Meddel. 66:65-93.
- Hansen, M., Pedersen, J. & Pritzl, G. 1999. Fund af biller i Danmark, 1998 (Coleoptera). — Entomol. Meddel. 67:71-102.
- 2000. Fund af biller i Danmark, 1999 (Coleoptera). — Entomol. Meddel. 68:85-110.
- Hansen, S.O. 1994. *Acalles parvulus* (Boheman, 1837) (Col., Curculionidae) ny art for Norge. — Fauna Norv. Ser. B 41:48.
- Hanssen, O., Ødegaard, F. & Kvamme, T. 1997. Forslag til rødliste for norske insekter. Del 1. Biller (Coleoptera). — NINA Fagrappo 31:1-31.
- Heliövaara, K., Peltonen, M., Mannerkoski, I. & Siitonens, J. 1998. Suomen kaarnakuoriaiset (Coleoptera: Scolytidae). — Univ. Helsinki Dept. Appl. Zool. Rep. 25:1-91.
- Herman, L.H. 2001. Catalog of the Staphylinidae (Insecta: Coleoptera). 1758 to the end of the second millennium. — Bull. Amer. Mus. Nat. Hist. 265:1-4218.
- Holynski, R.B. 2000. Taxonomic structure of *Ovalisia* Kerr. s.l. (Coleoptera: Buprestidae). — Jewel Beetles 8:1-18.
- Huldén, L. 2001. *Tytthaspis sedecimpunctata* (Linnaeus) strykes från Finlands fauna (Coccinellidae). — Sahlbergsia 6:38.
- Iivarinen, R. 1999. Short reports: *Lesteva punctata* Erichson (Staphylinidae). — Entomol. Fenn. 10:2.
- 2001a. Suomelle uusia lajeja — För Finland nya arter: *Aloconota strandi* Benick (Staphylinidae). — Sahlbergsia 6:37.
- 2001b. Suomen lähialueille uusia kovakuoriaislaajeja. — Sahlbergsia 6:40-41.
- Jäch, M. 1998. Revision of the Palearctic species of the genus *Ochthebius* Leach XX. The *O. (Asiobates) rugulosus* Wollaston species complex (Coleoptera: Hydraenidae). — Koleopterol. Rundschau 68:175-187.
- Jaeger, B. 1999. Nachtrag zur *Acupalpus*-Fauna des Nahen und Mittleren Ostens und neue Erkenntnisse zur Verbreitung und Synonymie einiger Arten der Gattungen *Acupalpus*, *Anthracus*, *Bradyceillus* und *Psychristus* (Coleoptera, Carabidae). — Linzer Biol. Beitr. 31:955-973.
- Jansson, N. 1999. Studies of the Beetle Fauna in Slitere State nature Reserve in Latvia. — Inform. Länsstyr. Östergötlands Län 1999(2):1-14.
- Jansson, N. & Lundberg, S. 2000. Skalbaggar i ihåliga ädellövträd — Två nya arter för Sverige — Jämte återfynd av kortvingarna *Hypnogyra glabra* (Nordmann) och *Meliceria tragardhi* (Palm). — Entomol. Tidskr. 121:93-97.
- Johnson, C. 1997. *Clambus simsoni* Blackburn (Col., Clambidae) new to Britain, with notes on its wider distribution. — Entomol. Monthly Mag. 133:161-164.
- Johnson, P.J. 1997. Generic synonymy of *Arctobyrrhus* Münster and *Tylicus* Casey (Insecta: Coleoptera: Byrrhidae). — Ann. Zool. (Warszawa) 47:337-340.
- Jonsell, M. 1998. En ny tickgnagare i Sverige, *Dorcatoma minor* Zahradnik (Coleoptera: Anobiidae), och dess värdval. — Entomol. Tidskr. 119:105-109.
- Kirejshuk, A.G. 1997. New Palaeartic nitidulid beetles, with notes on synonymy and systematic position of some species (Coleoptera: Nitidulidae). — Zoosyst. Ross. 6:255-268.
- Klausnitzer, B. 1998. Über die *Cyphon*-Arten Henri Tourniers' (Coleoptera: Scirtidae). — Beitr. Entomol. 48:411-415.

- Ljungberg, H. 1996. De svenska jordlöparna i *Agonum viduum*-gruppen (Coleoptera: Carabidae) — nyttillskott och namnändringar. — Entomol. Tidskr. 117:145-159.
- 2002. Notes on North European *Onthophagus* Latr. (Coleoptera: Scarabaeidae). — Entomol. Tidskr. 123:35-49.
- Lohse, G.A. & Lucht, W. 1989. Die Käfer Mitteleuropas 12. 1. Supplementband. — Goecke & Evers, Krefeld, 346 pp.
- Lucht, W. & Klausnitzer, B. 1998. Die Käfer Mitteleuropas 15. 4. Supplementband. — Goecke & Evers, Krefeld, 398 pp.
- Lundberg, S. 1995. Catalogus Coleopterorum Sueciae. — Naturhistoriska Riksmuseet, Stockholm, 1-224.
- 1996a. Bidrag till kännedom om svenska skalbaggar 24. — Entomol. Tidskr. 117:124-125.
- 1996b. Svartbaggen *Cynaeus opacus* (Tenebrionidae) funnen i Sverige, med notiser rörande en anmärkningsvärd kompostskalbaggsfauna. — Entomol. Tidskr. 117:181-182.
- 1997. Skalbaggsarter som inte återfunnits i Sverige på lång tid — en uppföljning av en sammanställning från år 1978. — Entomol. Tidskr. 118:119-123.
- 2001. Skalbaggsfaunan i Blåkölen-reservatet i Norrbotten. — Natur i Norr 20:97-105.
- Lundberg, S. & Pettersson, R. 1997. Något om skalbaggsfaunan i ryskt virke vid en såg i Västerbotten. — Entomol. Tidskr. 118:49-51.
- Lundmark, M., Drotz, M.K. & Nilsson, A. 2001. Morphometric and genetic analysis shows that *Haliplus wehnckeii* is a junior synonym of *H. sibiricus* (Coleoptera: Haliplidae). — Insect Syst. & Evol. 32:241-251.
- Löbl, I. 1999. *Euplectus mutator* Fauvel, 1895, le nom valide d'une ancienne espèce paléarctique (Coleoptera, Staphylinidae, Pselaphinae). — Mitt. Schweiz. Entomol. Ges. 72:281-282.
- Mahler, V. & Vagtholm-Jensen, O. 2002. De danske arter af rovbilleslaegten *Schistoglossa* Kraatz, 1856, med *S. bergvalli* Palm, 1968, som ny for Danmark (Coleoptera, Staphylinidae). — Entomol. Meddel. 70:51-55.
- Makranczy, G. 2001. Zur Kenntnis der mittel-europäischen Arten der Gattung *Ochtheophilus* Mulsant & Rey, 1856 (Coleoptera, Staphylinidae, Oxytelinae). — Entomol. Bl. 97:177-184.
- Mandelshtam, M.Y. & Popovichev, B.G. 2000. Annotirovannyj spisok vidov koroedov (Coleoptera, Scolytidae) Leningradskoj oblasti. (Annotated list of bark beetles of Leningrad province). — Entomol. Obozr. 79:599-618.
- Mannerkoski, I. 1999a. Short reports: *Platysoma compressum* (Herbst) (Histeridae). — Entomol. Fenn. 10:2.
- 1999b. Short reports: *Liophloeus latus herbsti* Gyllenhal (Curculionidae). — Entomol. Fenn. 10:5.
- 2001a. Suomelle uusia lajeja — För Finland nya arter: *Trichiusa immigrata* (Lohse) (Staphylinidae). — Sahlbergia 6:37.
- 2001b. *Bledius limicola* Tottenham, Virolle uusi lyhytsiipinen (Staphylinidae). — Sahlbergia 6:41.
- Martikainen, P., Kaila, L. & Haila, Y. 1998. Threatened Beetles in White-Backed Woodpecker Habitats. — Conserv. Biol. 12:293-301.
- Martin, O. & Pedersen, J. 2002. Fund af humlebillene *Trichius zonatus* Germar og *Trichius fasciatus* (Linnaeus) i Danmark (Coleoptera, Scarabaeidae). — Entomol. Meddel. 70:41-46.
- Maus, C. 1998. Taxonomical contributions to the subgenus *Coprochara* Mulsant & Rey, 1874 of the genus *Aleochara* Gravenhorst, 1802 (Coleoptera: Staphylinidae). — Koleopterol. Rundschau 58:81-100.
- Miller, R.S. 1997. Immature Stages of *Plateros floralis* (Melsheimer) and Discussion of Phylogenetic Relationships (Coleoptera: Lycidae). — Coleopterists Bull. 51:1-12.
- Miländer, G. 1993. Blestjanki-pyl'ceedy roda *Meligethes* Steph. (Coleoptera, Nitidulidae) Estonii. — Eesti Tead. Akad. Toim., Biol. 42:255-263.
- 1996. Täiedukseks Eesti Küürakmardikaste (Coleoptera, Mordellidae) faunale. — Lepidopterol. Inform. 10:54-55.
- 1999. Huvitamaid leide Eesti mardikaliste (Coleoptera). — Lepidopterol. Inform. 11:52-58.
- 2000. *Anogcodes ferruginea* (Coleoptera, Oedemeridae) new to Estonia. — Sahlbergia 5:8.
- Miländer, G., Nagirnõi, V. & Süda, I. 1997. Revision of earth-boring dung beetles from the genus *Geotrupes* Latr. (Coleoptera, Scarabaeidae) of Estonia. — Proc. Eston. Acad. Sci. Biol. Ecol. 46:246-256.
- Miländer, G. & Roosileht, U. 2001. Kaks uut körvkärsaka (Coleoptera, Curculionidae, *Otiorrhynchus*) liiki Eesti faunale. — Eesti Loodusmuus. Töid 4:107-111.

- Morris, M.G. 1997. Broad-nosed weevils. Coleoptera: Curculionidae (Entiminae). — Handb. Ident. Brit. Ins. 5(17a):1-106.
- Mozolevskaya, E.G. & Sharapa, T.V. 1996. Vidovoj sostav nasekomyh-ksilofagov Murmanskoj oblasti. (Species composition of the xylophagous insects of the Murmansk province.) — Entomol. Obozr. 75:558-566.
- Muona, J. 2000. Taxa new for Finland. Coleoptera: *Lyctus africanus* Lesne (Bostrichidae). — Entomol. Fenn. 11:2.
- 2002. *Trixagus leseigneuri* n.sp. (Coleoptera, Throscidae). — Bull. Soc. Entomol. France 107:187-190.
- Newton, A.F. 1998. Phylogenetic problems, current classification and generic status of world Leiodidae (including Cholevidae). — Phylogeny and Evolution of Subterranean and Endogeal Cholevidae (= Leiodidae Cholevinae). Atti Mus. Region. Sci. Nat., Torino, pp. 41-178.
- Nikitsky, N.B., Semenov, V.B. & Dolgin, M.M. 1998. Zhestkokrylye-ksilobionty, micetobionty i plactinchatousye Prioksko-Terrasnogo biosfernogo zapovednika (s obzorom fauny étih grupp Moskovskoj oblasti). Dopolnenie 1. (The beetles of the Prioksko-Terrasny biosphere reserve — Xylobiontes, mycetobiontes, and Scarabaeidae (with the review of the Moscow region fauna of these groups). Supplement 1.). — Sborn. trud. Zoolog. muz. MGU 36, suppl. 1:1-59.
- Nilsson, A.N. 2001. Dytiscidae (Coleoptera). — World Catalogue of Insects 3:1-395, Apollo Books, Stenstrup.
- Nilsson, A. & Holmen, M. 1995. The aquatic Adephaga (Coleoptera) of Fennoscandia and Denmark. II. Dytiscidae. — Fauna Entomol. Scand. 32:1-188.
- Nilsson, A.N. & Roughley, R.E. 1997. The genus- and family-group names of the Dytiscidae — additions and corrections (Coleoptera). — Beitr. Entomol. 47:359-364.
- Nilsson, S.G. & Baranowski, R. 1997. Förändringar i utbredning av sydliga vedknäppare (Coleoptera: Elateridae och Lissomidae) i Sverige. — Entomol. Tidskr. 118:73-98.
- Nodmar, O. 1999. *Rypobius praetermissus* Bo-westead, 1999 (Coleoptera: Corylophidae) — en för Sverige nygammal skalbagge. — Entomol. Tidskr. 120:155.
- Opinion 300. 1954. Validation, under the Plenary Powers, of the generic name *Sphaeroceras* Bayle, 1878 (Class Cephalopoda, Order Ammonoidea). — Opin. Declar. Internat. Comm. Zool. Nomenclat. 8:237-248.
- Opinion 1862. 1997. *Aspidiphorus* Ziegler in Dejean, 1821 (Insecta, Coleoptera): conserved as the correct original spelling, and SPHINIDAE Jacquelin du Val, [1861]: given precedence over ASPIDIPHORIDAE Kiesenwetter, 1877 (1859). — Bull. Zool. Nomenclat. 54:62-64.
- Opinion 1890. 1998. *Scarabaeus rufus* Moll, 1782 (currently *Aphodius rufus*), *Scarabaeus rufus* Fabricius, 1792 (currently *Aegialia rufa*) and *Scarabaeus foetidus* Herbst, 1783 (currently *Aphodius foetidus*) (Insecta, Coleoptera): specific names conserved. — Bull. Zool. Nomenclat. 55:54-57.
- Opinion 1916. 1999. BRACHYPTERINAЕ Zwisch, 1973 (Insecta, Plecoptera): spelling emended to BRACHYPTERAINAE, so removing the homonymy with BRACHYPTERINAE Erichson, [1845] (Insecta, Coleoptera); KATERETIDAE Erichson in Agassiz, [1846]: given precedence over BRACHYPTERINAE Erichson. — Bull. Zool. Nomenclat. 56:82-86.
- Opinion 1957. 2000. *Sphaerius* Waltl, 1838 (Insecta, Coleoptera): conserved; and SPHAERIIDAE Erichson, 1845 (Coleoptera): spelling emended to SPHAERIUSIDAE, so removing the homonymy with SPHAERIIDAE Deshayes, 1854 (1820) (Mollusca, Bivalvia). — Bull. Zool. Nomenclat. 57:182-184.
- Opinion 1968. 2001. *Phytobius* Schönherr, 1833 (Insecta, Coleoptera): placed on the Official List. — Bull. Zool. Nomenclat. 58:70-71.
- Palm, E. 1999. Nye arter og landskabsfund for snudebiller (Coleoptera: Curculionidae) i Sverige. — Entomol. Tidskr. 120:143-147.
- Palm, T. 1947. Våra Phalacrus-arter (Col. Phalacridae). — Entomol. Tidskr. 68:178-183.
- Pedersen, J., Pritzl, G., Runge, J.B. & Vagtholm-Jensen, O. 2001. Fund af biller i Danmark, 2000 (Coleoptera). — Entomol. Meddel. 69: 81-107.
- Perkovsky, E.E. 1997. Significance of antennal characters, particularly the presence of Hamann's organ on the first segment of a club, for systematics of the agyrtid-colonid group of Staphylinoidea (Coleoptera: Agyrtidae, Leio-

- didae, Colonidae). — Dopov. Nac. Akad Nauk Ukrajini 11:167-174. [from Zool. Record]
- Pesarini, C. & Sabbadini, A. 1994. Insetti della Fauna Europea. Coleotteri Cerambicidi. — Natura 85:1-132.
- Pfeffer, A. 1995. Zentral- und westpaläarktische Borken- und Kernkäfer (Coleoptera: Scolytidae, Platypodidae). — Pro Entomologia, c/o Naturhistorisches Museum Basel, 1-310.
- Pileckis, S. & Monsevičius, V. 1995. Lietuvos Fauna. Vabalai 1. — Vilnius, Mokslo ir encikl. leid., 1-303.
- 1997. Lietuvos Fauna. Vabalai 2. — Vilnius, Mokslo ir encikl. leid., 1-216.
- Rassi, P. 2001. Suomelle uusia lajeja — För Finland nya arter: *Berosus signaticollis* (Charpentier) (Hydrophilidae). — Sahlbergia 6:37.
- Roosileht, U. 1999. Avaldamata andmeid perekonnast *Choleva* (Coleoptera, Cholevidae). — Lepidopterol. Inform. 11:59-60.
- 2001. Andmeid lühitiiblaste alamsugukonna *Omaliinae* (Coleoptera, Staphylinidae) leviku kohta Eestis. — Eesti Loodusmuus. Töid 4:112-126.
- Runge, J.B. 1998. *Telmatophilus brevicollis* Aubé, 1862, ny for Danmark, med bemærkninger om vore øvrige arter af *Telmatophilus* (Coleoptera, Cryptophagidae). — Entomol. Meddel. 66:45-53.
- 1999. *Aulonium trisulcum*: En ny dansk bille på elm — med et resumé af elmesygens biologi og historie (Coleoptera: Colydiidae). — Entomol. Meddel. 67:57-64.
- 2000. *Cryptophilus oblitteratus* Reitter, 1878, en ny bille for den danske fauna. (Coleoptera: Languridae). — Entomol. Meddel. 68:79-83.
- Rutanen, I. & Kashevarov, B. 1997. Coleoptera of the Nature Reserve Friendship with adjacent primeval forests. — The Finnish Environment 124:257-294.
- Rutanen, I. & Leinonen, R. 1999. *Atheta (Alaoibia) pandionis* Scheerpeltz (Coleoptera, Staphylinidae) found in Finland. — Sahlbergia 4:56-57.
- Sagvolden, B.A. & Hansen, L.O. 1996. Notes on Norwegian Coleoptera. 3. — Fauna Norv., Ser. B 43:89-94.
- 2001. Notes on Norwegian Coleoptera 5. — Norw. Journ. Entomol. 48:281-287.
- Saluk, S.V. 1992. 79. Sem. Lathridiidae — Skrytniki. — in Lehr, P.A. (ed.) Opredelitel' nasekomyyh Dal'nego Vostoka SSSR, pp. 378-392.
- Sánchez-Ruiz, A. & Tarnawski, D. 1999. *Selatosomus gravidus* (Germar, 1843), new name for *Selatosomus latus* (Fabricius, 1801) (Coleoptera, Elateridae). — Bol. Asoc. Españ. Entomol. 23:133-134.
- Savich, F. 1998. New data on distribution of rare species of ground beetles (Coleoptera, Carabidae) in Latvia. — Latvijas Entomol. 36:31-36.
- Schillhammer, H. & Lott, D. 2001. On the identity of *Gabrius velox* Sharp (Coleoptera, Staphylinidae). — Entomol. Bl. 97:195-197.
- Schülke, M. & Kocian, M. 2000. Revision der Artgruppe des *Mycetoporus nigricollis* Stephens, 1835 (Coleoptera, Staphylinidae, Tachyporinae). — Entomol. Bl. 96:81-126.
- Silfverberg, H. 1997a. Additions and corrections to *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*. — Sahlbergia 3:33-62.
- 1997b. A new replacement name in Curculionidae (Coleoptera). — Entomol. Fenn. 8:150.
- 1999. Comments on some Estonian Coleoptera. — Entomol. Fenn. 10:50.
- 2000. *Ceutorhynchus cakilis* (Hansen) (Coleoptera) found in Estonia. — Entomol. Fenn. 11:4.
- Skartveit, J. 1999. *Adistemia watsoni* (Wollaston) (Col., Latridiidae) recorded from Norway. — Norw. Journ. Entomol. 46:46.
- Skartveit, J., Ødegaard, F. & Solhøy, T. 2000. *Platyderus ruficollis* (Marsham) (Coleoptera, Carabidae) new to Scandinavia. — Norw. Journ. Entomol. 47:197-198.
- Slipinski, S.A. & Lawrence, J.F. 1997. Genera of Colydiinae (Coleoptera: Zopheridae) of the Australo-Pacific region. — Ann. Zool. (Warszawa) 47:341-440.
- 1999. Phylogeny and classification of Zopheridae *sensu novo* (Coleoptera: Tenebrionoidea) with a review of the genera of Zopheridae (excluding Monommatini). — Ann. Zool. (Warszawa) 49:1-53.
- Süda, I. & Miländer, G. 1998. Eesti putukate levikuatlas. Distribution Maps of Estonian Insects. 1. Siklased — Cerambycidae. — Tartu, 1-88.
- Süda, I. & Nagirnyi, V. 2002. The *Dorcatoma* Herbst, 1792 (Coleoptera: Anobiidae) species of Estonia. — Entomol. Fenn. 13:116-122.
- Švec, Z. 1999. Nomenclatoric and taxonomic notes on Palaearctic Phalacridae (Coleoptera). — Acta Soc. Zool. Bohem. 63:493-498.
- Švihla, V. 1999. Revision of the subgenera *Stenaxis* and *Oedemera* s.str. of the genus *Oedemera*

- (Coleoptera: Oedemeridae). — *Folia Heyrovskiana*, Suppl. 4:1-117.
- Sörensson, M. 1997. Morphological and taxonomical novelties in the world's smallest beetles, and the first Old World record of *Nanosellini* (Coleoptera: Ptiliidae). — *System. Entomol.* 22:257-283.
- 1999. Rapsbaggen *Meligethes caudatus* Guillebeau i Sverige. — *Entomol. Tidskr.* 120:127-128.
- 2000. New Swedish records of Feather-wing beetles (Coleoptera, Ptiliidae), and a discussion of two regionally extinct species. — *Entomol. Tidskr.* 121:181-188.
- Tamutis, V. 1999. Dirvas pavirsius entomofauna rapsu agrocenozëse. — *Ekologija* (Vilnius) 1999(1):18-24.
- Tamutis, V. & Zolubas, P. 2001. Non-target beetles trapped in *Ips typographus* L. pheromone traps. — *Baltic Journ. Coleopterol.* 1:65-70.
- Telnov, D. 1999. Sechs neue Ptiliiden-Arten für die Fauna Lettlands und Checkliste der Federflügler (Coleoptera, Ptiliidae). — *Latvijas Entomol.* 37:18-22.
- 2001. To the knowledge of Latvian Coleoptera, 1. — *Latvijas Entomol.* 38:61-69.
- Telnov, D., Barševskis, A., Savich, F., Kovalevsky, F., Berdnikov, S., Doronin, M., Cibulskis, R. & Ratniece, D. 1997. Check-List of Latvian Beetles (Insecta: Coleoptera). — *Mitt. Internat. Entomol. Ver.*, Suppl. 5:1-140.
- Tomminen, J. 1999. Koloradonkuoriainen — uusi peruantuholainen maassamme? — *Kasvin-suojelulehti* 32:4-6.
- Valkama, H., Räty, M. & Niemelä, P. 1997. Catches of *Ips duplicatus* and other non-target Coleoptera by *Ips typographus* pheromone trapping. — *Entomol. Fenn.* 8:153-159.
- Valtonen, P. 2001. Muutoksia Suomen *Helophorus* Fabricius -lajistoon (Hydrophilidae). — *Sahlbergia* 6:38.
- Vik, A. 1993. Catalogus Coleopterorum Norvegica. — *Larvik*, 1-169.
- Voolma, K., Süda, I. & Öunap, H. 1998. New records of bark beetles (Coleoptera, Scolytidae) from Estonia. — *Proc. Eston. Acad. Sci., Biol.* 47:73-78.
- Voolma, K., Öunap, H. & Süda, I. 2000. Eesti putukate levikuatlasis. Distribution Maps of Estonian Insects. 2. Urasklased — Scolytidae. — Tartu, 1-84.
- Warchałowski, A. 1996. Übersicht der westpaläarktischen Arten der Gattung *Longitarsus* Berthold, 1827 (Coleoptera: Chrysomelidae: Halticinae). — Genus 7 Suppl.:1-266.
- Westman, K., Kaila, L. & Kullberg, J. 2000. *Bembidion azurescens*, Suomelle uusi maakäitäjäislaji (Coleoptera, Carabidae). — *Sahlbergia* 5:39.
- Zachariassen, K.E. 1996. Snudebillen *Peritelus hirticornis* Hbst. ny art for Norge. — *Fauna Norv., Ser. B* 43:100.
- Zerche, L. 1998. Phylogenetisch-systematische Revision der westpaläarktischen Gattung *Metopisia* Wollaston, 1854 (Coleoptera: Staphylinidae, Proteininae). — *Beitr. Entomol.* 48:3-101.
- Ødegaard, F. 1994. Nye Coleoptera for Norge. (Coleoptera new to Norway). — *Fauna Norv. Ser. B* 41:45-47.
- 1999. Invasive beetle species (Coleoptera) associated with compost heaps in the Nordic countries. — *Norw. Journ. Entomol.* 46:67-78.
- 2001. Taxonomic status and geographical range of some recently revised complex species of Coleoptera in Norway. — *Norw. Journ. Entomol.* 48:237-249.
- Ødegaard, F. & Andersen, A. 1994. *Othius volans* J.Sahlberg, 1876 (Col., Staphylinidae) ny art for Norge. — *Fauna Norv. Ser. B* 41:45.
- Ødegaard, F. & Ligaard, S. 2000. Contribution to the knowledge of Norwegian Coleoptera. — *Norw. Journ. Entomol.* 47:7-19.
- Ødegaard, F. & Tømmerås, B.Å. 2000. Compost heaps — refuges and stepping-stones for alien arthropod species in northern Europe. — *Diversity ans Distribution* 6:45-59.