

## Changes and additions to Enumeratio nova Coleopterorum Fennoscandiae, Daniae et Baltiae

Hans Silfverberg

Silfverberg, H. 2006: Changes and additions to Enumeratio nova Coleopterorum Fennoscandiae, Daniae et Baltiae. — *Sahlbergia* 11: 40–52, Helsinki, Finland ISSN 1237-3273.

The latest checklist of northern European Coleoptera was published in 2004. Additional information is presented, most of it consisting of new records from the various countries, but also taxonomic and nomenclatural changes.

*Hans Silfverberg, Finnish Museum of Natural History, P.O.Box 26, FI-00014 Helsinki University. E-mail: hans.silfverberg@helsinki.fi.*

The latest checklist of northern European Coleoptera was published in 2004 (Silfverberg 2004a). Since then much new information has already been published. New country records have been made, particularly from the Baltic countries, some nomenclatural changes have been made, as well as taxonomic changes. These are listed below, with references to relevant works. The references are given in square brackets, to distinguish them from species authors. So far only printed publications have been used, because information in the net has not always been sufficiently well controlled.

Within Cerambycidae there is widely a tendency to split the genera much further than what was presented in the checklist. This makes a conspicuous difference to related families. Still some splitting may be appropriate. What I present below is my subjective decision.

It should be observed that due to a technical error a few records were omitted from the 2004 checklist, but they were immediately corrected (Silfverberg 2004b).

### p. 6

*Hygrotus quinquelineatus* (Zett.) - delete A [Barševskis & al. 2005]

*Coelambus parallelogrammus* (Ahr.) - add A [Barševskis & al 2005]

*Hydroporus brevis* (F.Sahlb.) – add D [Pedersen & Vagtholm-Jensen 2005]

*Hydroporus pubescens* (Gyll.) - add I [Tamutis 2003]

### p. 8

*Cybister lateralimarginalis* (DeG.) - add E [Roosileht & Selin 2004]

### p. 9

*Carabus intricatus* L. - add I [Ferenca & al. 2002]

*Cylindera arenaria viennensis* (Schr.) - add I [Ferenca & al. 2002]

### p. 10

After *Bembidion hirmocaelum* Chaud. - add *B. caeruleum* Audinet-Serville, 1821 I [Ferenca & al. 2002]

*Bembidion stephensi* Crotch - add I [Ferenca 2003]

### p. 11

*Bembidion transparens* (Gehl.) - add I [Monsevičius & Pankevičius 2001]

*Ocys quinquestriatus* (Gyll.) - add I [Tamutis 2003]

After *Tachys bistriatus* (Duft.) - add *T. micros* (Fischer v. Waldheim, 1828) I [Tamutis 2003]

*Tachyura parvula* (Dej.) - add D I [Pedersen & Vagtholm-Jensen 2005; Ferenca 2003]

After *Pterostichus diligens* (Sturm) - add *P. ovoideus* (Sturm, 1824) I [Ferenca 2004]

### p. 12

*Agonum afrum* (Duftschmid, 1812) - change to *Agonum emarginatum* (Gyllenhal, 1827) (*afrum* (Duftschmid, 1812) nec (Thunberg, 1787)) [Schmidt 2004]

**p. 13**

*Badister sodalis* (Duft.) - add F [Perkiömäki & Rutanen 2005]

**p. 15**

*Lionychus quadrillum* (Duft.) - add I [Ferenca & al. 2002]

**p. 16**

*Berosus signaticollis* (Charp.) - add A [Telnov 2004]  
*Megasternum concinnum* (Marsh.) - add A [Telnov 2004]

**p. 18**

*Paromalus flavicornis* (Hbst.) - add I [Tamutis 2003]  
*Limnebius crinifer* Rey - add A [Telnov 2004]  
*Hydraena reyi* Kuw. - add E [Mahler 2004]  
 After *Hydraena reyi* Kuw. - add *H. melas* Dalla Torre, 1877 E [Mahler 2004]

**p. 19**

*Ptenidium formicetorum* Kr. - add I [Monsevičius & Pankevičius 2001]  
*Ptenidium nitidum* (Heer) - add I [Ferenca & al. 2002]  
*Millidium* Motsch. - raise to separate genus, with species *M. minutissimum* (Ljungh) [Johnson 2003]  
*Ptinella johnsoni* Rut. - add N [Sörensson & Johnson 2004]

**p. 20**

*Acrotrichis chevrolatii* (Allib.) - change to *A. cephalotes* (Allibert, 1844) (*chevrolatii* auct.) [Johnson 2003]  
*Acrotrichis sericans* (Heer) - add synonym *A. chevrolatii* (Allibert, 1844) [Johnson 2003]  
 After *Acrotrichis dispar* (Matth.) - add *A. nana* Strand, 1946 SN [Vorst & Sörensson 2005]  
*Acrotrichis henrici* (Matth.) - add S [Sörensson & Johnson 2004]  
*Sogda suturalis* (Zett.) - add E [Miländer 2005]  
*Leiodes silesiaca* (Kr.) - add E [Miländer 2005]  
*Leiodes ciliaris* (Schmidt) - add A [Telnov 2004]  
*Leiodes pallens* (Sturm) - add E [Miländer 2005]  
*Leiodes triepkii* (Schmidt) - add E [Miländer 2005]  
*Leiodes rubiginosa* (Schmidt) - add E [Miländer 2005]  
*Leiodes fracta* (Seidl.) - add E [Miländer 2005]

**p. 21**

*Leiodes picea* (Panz.) - add E [Miländer 2005]  
*Leiodes rufipennis* (Payk.) - add I [Tamutis 2003]  
 After *Leiodes bicolor* (Schmidt) - add *L. brunnea* (Sturm, 1807) [Miländer 2005]  
*Leiodes badia* (Sturm) - add E [Miländer 2005]  
*Xanthosphaera minuta* (Ahr.) - add E [Miländer 2005]  
*Colenis immunda* (Sturm) - add I [Monsevičius & Pankevičius 2001]  
*Agathidium varians* Beck - add EA [Miländer 2005, Telnov 2004]  
*Agathidium pulchellum* Wank. - add A [Telnov 2004]  
*Colon dentipes* (Sahlb.) - add E [Miländer 2005]  
*Colon appendiculatum* (Sahlb.) - add I [Monsevičius & Pankevičius 2001]  
*Colon serripes* (Sahlb.) - add E [Miländer 2005]

**p. 22**

*Ptomaphagus variicornis* (Rosh.) - add E [Miländer 2005]  
*Choleva spadicea* (Sturm) - add I [Ferenca 2003]  
*Choleva paskoviensis* Rtt. - add I [Tamutis 2003]  
*Dreposcia umbrina* (Er.) - delete D [Pedersen & al. 2004]  
*Sciodrepoides alpestris* Jeann. - add E [Miländer 2005]  
*Catops subfuscus* Kelln. - add E [Miländer 2005]  
*Catops grandicollis* Er. - add E [Miländer 2005]  
*Catops tristis* (Panz.) - add EA [Miländer 2005, Telnov 2004]  
*Catops morio* (F.) - add E [Miländer 2005]  
*Catops nigriclavus* Gerh. - add E [Miländer 2005]  
*Catops westi* Krog. - add E [Miländer 2005]  
*Catops nigricans* (Spence) - add E [Miländer 2005]  
*Platypterygius castoris* Rits. - add I [Tamutis 2003]

**p. 23**

*Nevrappes coronatus* J.Sahlb. - add I [Ferenca 2003]  
*Euconnus wetterhallii* (Gyll.) - add A [Telnov 2004]  
*Scydmaenus hellwigii* - add I [Monsevičius & Pankevičius 2001]

**p. 24**

*Eusphalerum sorbi* (Gyll.) - add I [Tamutis 2003]  
*Phyllodrepa linearis* (Zett.) - add A [Telnov 2004]  
*Hypopycna rufula* (Er.) - add S [Dufberg 2004]  
*Phloeonomus sjobergi* Strand - add A [Telnov 2004]

**p. 25**

- Olophrum boreale* (Payk.) - add A [Telnov 2004]  
*Geodromius plagiatus* (F.) - add A [Telnov 2004]  
*Proteinus laevigatus* Hochh. - add A [Telnov 2004]

**p. 26**

- Micropeplus porcatus* (Payk.) - add I [Tamutis & al. 2004]  
 After *Plectrophloeus nubigena* (Rtt.) - add *P. erichsoni* (Aubé, 1844) D [Pedersen & al. 2004]  
*Bryaxis clavicornis* (Panz.) - add I [Monsevičius & Pankevičius 2001]  
*Amauronyx maerkelii* (Aubé) - add I [Ferenca & al. 2002]

**p. 27**

- Mycetoporus dispersus* Sch. & Koc. - add A [Telnov 2004]  
*Mycetoporus glaber* (Sperk) - add A [Telnov 2004]  
*Mycetoporus maeklini* Bernh. - change to *M. montanus* Luze, 1901 (*maeklini* Bernhauer, 1906). [Schülke, 2003]  
*Mycetoporus aequalis* Thoms. - change to *M. pachyraphis* (Pandellé, 1869) (*aequalis* auct.). [Schülke 2004a]  
*Ischnosoma longicorne* (Mäkl.) - add I [Monsevičius & Pankevičius 2001]  
*Bryoporus cernuus* (Grav.) - add A [Cibušskis & al. 2005]  
*Bryophacis punctipennis* (Thoms.) - change to subspecies of *B. rufus* [Schülke 2004b]

**p. 28**

- Bryophacis rugipennis* (Pand.) - change to *B. maklini* (J.Sahlberg, 1871) (*rugipennis* auct.); add A [Schülke 2004b, Telnov 2004]  
*Bryophacis crassicornis* (Mäkl.) - add I [Monsevičius & Pankevičius 2001]  
 After *Sepedophilus bipustulatus* (Grav.) - add *S. wankowiczi* (Pandellé, 1869) A [Telnov 2004]  
*Sepedophilus pedicularius* (Grav.) - add A [Telnov 2004]  
*Tachyporus formosus* Matth. - add I [Monsevičius & Pankevičius 2001]  
*Tachyporus pulchellus* Mannh. - add A [Telnov 2004]

**p. 29**

- Aleochara puberula* Klug - add D [Pedersen & al. 2004]  
*Aleochara villosa* Mannh. - add I [Monsevičius & Pankevičius 2001]

- Aleochara sanguinea* (L.) - add I [Monsevičius & Pankevičius 2001]  
*Oxyptoda induta* Muls. & R. - add I [Monsevičius & Pankevičius 2001]  
*Oxyptoda brevicornis* (Steph.) - add A [Telnov 2004]  
*Oxyptoda rufa* Kr. - add I [Monsevičius & Pankevičius 2001]  
*Oxyptoda togata* Er. - add A [Telnov 2004]

**p. 30**

- Oxyptoda arborea* Zerche (*lucens* auct.) - add I [Monsevičius & Pankevičius 2001]  
*Oxyptoda brachyptera* (Steph.) - add A [Telnov 2004]  
*Hygropora cunctans* (Er.) - add A [Telnov 2004]  
*Calodera riparia* Er. - add A [Telnov 2004]  
*Dexiogyia forticornis* (Strand) - add S D [Ramqvist 2006, Pedersen & Vagtholm-Jensen 2005]

**p. 31**

- Phloeopora nitidiventris* Fauv. - add I [Monsevičius & Pankevičius 2001]  
*Dinarda hagensii* Wasm. - add A [Telnov 2004]  
 As first in **Meoticina** - add *Apimela* Mulsant & Rey, 1874, with *A. mulsanti* (Ganglbauer, 1895) A [Telnov 2004]  
*Meotica filiformis* (Motsch.) - add A [Telnov 2004]

**p. 32**

- After *Tomoglossa luteicornis* (Er.) - add *T. heydemanni* Lohse, 1977 D [Pedersen & Vagtholm-Jensen 2005]  
 As first in *Aloconota* - add *A. debilicornis* (Erichson, 1839) A [Telnov 2004]  
*Evanystes* auct. nec Gistel, 1856 - change to *Evanystes* Gistel, 1856, suppressed [Opinion 2098]  
*Philhygra grisea* (Thoms.) - add A [Telnov 2004]  
*Philhygra gyllenhalii* (Thoms.) - add A [Cibušskis 2005]  
*Philhygra malleus* Joy - add A [Telnov 2004, Cibušskis 2005]  
*Philhygra volans* (Scriba) - add A [Telnov 2004, Cibušskis 2005]  
*Philhygra obtusangula* Joy - add A [Telnov 2004]

**p. 33**

- Philhygra ripicola* (Hanss.) - add A [Cibušskis 2005]  
*Atheta palleola* (Er.) - add D [Pedersen & al. 2004]  
*Atheta pittionii* Scheerp. - add S [Ramqvist 2006]  
*Atheta dadopora* Thoms. - add A [Telnov 2004]  
*Atheta orbata* (Er.) - add A [Telnov 2004]

**p. 34**

- Atheta cauta* (Er.) - add A [Telnov 2004]  
*Atheta setigera* (Sharp) - add A [Telnov 2004]  
*Atheta hypnorum* (Kiesw.) - add I [Monsevičius & Pankevičius 2001]  
*Atheta brunneipennis* (Thoms.) - add A [Telnov 2004]  
*Atheta triangulum* (Kr.) - add A [Telnov 2004]  
*Atheta incognita* (Sharp) - add A [Cibušskis & al. 2005]  
*Atheta coriaria* (Kraatz) - transfer to *Dalotia* (p. 35) [Gusarov 2003]  
*Atheta sibirica* (Mäkl.) - change to *A. frigida* J.Sahlberg, 1880 [Gusarov 2003]

**p. 35**

- Pachnida nigella* (Er.) - add A [Cibušskis & al. 2005]  
*Acrotona muscorum* (Bris.) - add A [Telnov 2004]  
 After *Halobrecta* - add *Dalotia* Casey, 1910, with *D. coriaria* (Kraatz, 1856) [Gusarov 2003]

**p. 36**

- Anaulacaspis nigra* (Grav.) - add I [Monsevičius & Pankevičius 2001]  
*Lomechusoides strumosus* (F.) - add I [Tamutis 2003]  
*Lomechusa emarginata* (Payk.) - add I [Ferenca & al. 2002]  
*Gyrophana pulchella* Heer - add I [Monsevičius & Pankevičius 2001]  
*Gyrophana rousi* Dvoř. - add D [Pedersen & Vagt-holm-Jensen 2005]  
*Gyrophana williamsi* Str. - add I [Monsevičius & Pankevičius 2001]

**p. 37**

- Leptusa ruficollis* (Er.) - add A [Telnov 2004]  
*Pseudomicrodota jelineki* (Krása) - change to *P. paganettii* (Bernhauer, 1909) (*jelineki* (Krása, 1914)) [Vogel 2004]  
*Cyphaea curtula* (Er.) - add A [Telnov 2004]  
*Autalia impressa* (Ol.) - add I [Monsevičius & Pankevičius 2001]  
*Cypha imitator* (Luze) - change to *C. aprilis* (Rey, 1882) (*imitator* (Luze)) [Dauphin 2004]

**p. 38**

- Cypha discoidea* (Er.) - add A [Telnov 2004]  
*Cypha hanseni* (Palm) - synonymize with *C. seminulum* (Er.) [Dauphin 2004]  
*Myllaena brevicornis* (Matth.) - add A [Telnov 2004]  
*Thinodromus arcuatus* (Steph.) - add I [Tamutis 2003]

- Carpelimus impressus* (Lac.) - add I [Monsevičius & Pankevičius 2001]

**p. 39**

- Bledius occidentalis* Bondr. - add A [Telnov 2004]  
*Bledius defensus* Fauv. - add A [Telnov 2004]  
*Bledius terebrans* (Schte.) - add I [Monsevičius & Pankevičius 2001]  
*Bledius filipes* Sharp - add I [Monsevičius & Pankevičius 2001]  
*Bledius tibialis* Heer - add A [Telnov 2004]  
*Anotylus insecatus* (Grav.) - add I [Monsevičius & Pankevičius 2001]

**p. 40**

- Anotylus affinis* (Czwal.) - add A [Telnov 2004]  
*Stenus ruralis* Er. - add I [Monsevičius & Pankevičius 2001]  
*Stenus excubitor* Er. - add A [Telnov 2004]  
*Stenus melanopus* (Marsh.) - add I [Monsevičius & Pankevičius 2001]  
*Stenus nitens* Steph. - add I [Monsevičius & Pankevičius 2001]  
*Stenus europaeus* Puthz - add A [Telnov 2004]  
*Stenus assequens* Rey - add I [Tamutis 2003]

**p. 41**

- Stenus picipes* Steph. - add A [Telnov 2004]  
*Stenus ochropus* Kiesw. - add A [Telnov 2004]  
 After *Astenus pulchellus* (Heer) - add *A. bimaculatus* (Erichson, 1840) E [Roosileht 2004]  
*Pseudomedon obsoletus* (Nordm.) - add A [Telnov 2004]  
*Lithocharis ochracea* (Grav.) - add I [Tamutis 2003]

**p. 42**

- Scopaeus pusillus* Kiesw. - add I [Ferenca 2003]  
*Scopaeus ryei* Woll. (*minus* auct.) - add I [Tamutis 2003]  
*Lathrobium pallidipenne* Hochh. (*ripicola* Czwal.) - add I [Monsevičius & Pankevičius 2001]  
 After *Lathrobium pallidipenne* Hochh. - add *L. laevipenne* Heer, 1839 AI [Telnov 2004, Tamutis 2003]  
*Leptacinus pusillus* (Steph.) - add A [Telnov 2004]  
*Leptacinus formicetorum* Märk. - add A [Telnov 2004]

**p. 43**

- Othius angustus* Steph. - add I [Tamutis 2003]  
*Atrecus pilicornis* (Payk.) - add A [Telnov 2004]  
*Gabrius expectatus* Smet. - add A [Cibušskis & al.]

2005]  
*Gabrius astutoides* (Strand) - add E [Roosileht 2004]  
*Bisnius spermophili* (Gglb.) - add I [Tamutis & al.  
 2004]

**p. 44**

*Philonthus spinipes* Sharp - add A [Cibušskis & al.  
 2005]  
*Philonthus nitidicollis* (Lac.) - add A [Cibušskis & al.  
 2005]  
*Philonthus alpinus* Epp. - add A [Telnov 2004]  
*Philonthus coprophilus* Jarr. - add D [Pedersen & al.  
 2004]  
*Philonthus furcifer* Renk. - add A [Cibušskis & al.  
 2005]  
*Neobisnius villosulus* (Steph.) - add A [Telnov 2004]  
*Remus sericeus* Holme - add A [Telnov 2004]

**p. 45**

*Tasgius winkleri* (Bernh.) - add I [Tamutis 2003]  
*Heterothops praevius* Er. - add A [Telnov 2004]  
*Velleius dilatatus* (F.) - add I [Ferenca 2003, Tamutis  
 2003]  
*Quedius microps* (Grav.) - add A [Telnov 2004]  
*Quedius infuscatus* Er. - add I [Ferenca & al. 2002]  
*Quedius scintillans* (Grav.) - add A [Cibušskis & al.  
 2005]  
 After *Quedius plancus* Er. - add *Q. riparius* Kellner,  
 1843 A [Telnov 2004]  
*Quedius persimilis* Muls. & Rey - add A [Cibušskis &  
 al. 2005]

**p. 46**

*Trox hispidus* (Pont.) - add I [Tamutis 2003]  
*Bolboceras* Kirby, 1819 (*Odonteus* Samouelle, 1819)  
 - change to *Odonteus* Samouelle, 1819 (*Bolboceras*  
 Kirby 1819) [Opinion 2138]  
 After genus *Geotrupes* - add **Lethrinae** Mulsant &  
 Rey, 1871, with *Lethrus* Scopoli, 1777, and *L. apte-*  
*rus* (Laxman, 1770) A [Telnov 2004]  
*Aphodius piceus* Gyll. - add A [Telnov 2004]

**p. 47**

*Aphodius niger* (Panzer, 1797) - change author to Illi-  
 ger, 1798 [Opinion 2099]

**p. 48**

*Elodes elongata* Tourn. (*tricuspis* Nyh.) - add A  
 [Telnov 2004]  
*Cyphon kongsbergensis* Munst. - add E [Mahler

2004]

**p. 49**

*Cyphon hilaris* Nyh. - add N [Cuppen & Foster 2005]  
*Agrilus guerini* Lac. - add I [Inokaitis 2004]

**p. 50**

*Agrilus paludicola* Krog. - add A [Telnov 2004]  
*Chaetophora spinosa* (Rossi) - add A [Telnov 2004]  
*Elmis maugetii* Latr. - add E [Mahler 2004]  
*Dryops anglicanus* Edw. - add AI [Telnov 2004,  
 Monsevičius & Pankevičius 2001]

**p. 51**

*Dryops lutulentus* (Er.) - add I [Monsevičius &  
 Pankevičius 2001]  
 As first in **Limnichidae** - add ***Pelochares*** Mulsant &  
 Rey, 1869, with *P. versicolor* (Waltl, 1838) I [Fe-  
 renca & al. 2002]  
*Limnichus sericeus* (Duft.) - add I [Ferenca & al.  
 2002]  
*Heterocererus flexuosus* Steph. - add A [Telnov 2004]  
 After *Heterocererus hispidulus* Kiesw. - add *H. pruinosis*  
 Kiesenwetter, 1851 A [Telnov 2004]  
 After *Heterocererus intermedius* Kiesw. - add *H. mariti-*  
*mus* Guérin-Ménéville, 1844 A [Telnov 2004]  
*Microrhagus pygmaeus* (F.) - add I [Tamutis 2003]  
*Microrhagus emyi* (Roug.) - add I [Tamutis 2003]  
*Trixagus exul* (Bonv.) - add A [Telnov 2004]

**p. 52**

*Hypnoidus consobrinus* (Mulsant & Guillebeau, 1855)  
 - enter as valid species from SN [Andersen 2005]

**p. 53**

*Negastrius arenicola* (Boh.) - add AI [Barševskis  
 2005; Ferenca 2004]  
 After *Ampedus sanguinolentus* (Schrank) - add *A. van-*  
*daltitiae* Lohse, 1976 A, and *A. bouweri* Schimmel,  
 1984 A [Barševskis 2005]  
*Ampedus triangularis* (Dorn) (*nemoralis* Bouw.) - add  
 A [Barševskis 2005]  
*Agriotes gallicus* Lac. - delete A [Barševskis 2005]

**p. 54**

*Cardiophorus asellus* Er. - add I [Tamutis 2003]

**p. 55**

*Rhagonycha lutea* (Müll.) - add I [Ferenca & al.  
 2002]

*Malthodes fibulatus* Kiesw. - add I [Tamutis 2003]  
 After *Dermestes lanarius* Ill. - add *D. undulatus*  
 Brahm, 1791 AI [Telnov 2004, Tamutis 2003]  
*Dermestes mustelinus* Er. - delete A [Telnov 2004]

**p. 56**

*Attagenus schaeferi* (Hbst.) - add S [Svedlindh 2003]  
*Trogoderma variabile* Ball. - add a [Telnov 2004]  
*Trogoderma angustum* (Sol.) - add I [Šablevičius  
 2004]  
*Rhyzopertha dominica* (F.) - add i [Tamutis 2003]

**p. 57**

*Xestobium rufovillosum* (DeG.) - add I [Ferenca & al.  
 2002]  
*Ernobius explanatus* (Mannh.) - add A [Telnov 2004]  
*Ernobius abietinus* (Gyll.) - add I [Ferenca & al.  
 2002]  
*Ernobius pini* (Sturm) - add I [Tamutis 2003]  
*Ptilinus fuscus* Geoffr. - add I [Ferenca & al. 2002]  
*Xyletinus pectinatus* (F.) - add I [Tamutis 2003]

**p. 58**

*Anitys rubens* (Hoffm.) - add A [Telnov 2004]

**p. 59**

*Axinotarsus ruficollis* (Ol.) - add N [Skartveit & al.  
 2005]

**p. 60**

*Sphindus dubius* (Gyll.) - add A [Telnov 2004]  
*Carpophilus mutilatus* Er. - add i [Monsevičius &  
 Pankevičius 2001]  
*Eपुरaea melanocephala* (Marsh.) - add I [Monsevičius  
 & Pankevičius 2001]  
*Eपुरaea hilleri* Rtt. - delete synonym *E. fageticola*  
 Aud. [Audisio & al. 2006]  
*Eपुरaea concurrens* Sjöb. - synonymize with *E. hilleri*  
 Rtt. [Audisio & al. 2006]  
*Eपुरaea thoracica* Tourn. - add I [Tamutis 2003]  
*Eपुरaea angustula* Sturm - add A [Telnov 2004]  
*Eपुरaea danica* Sjöb. - change from synonym of *E.*  
*oblonga* (Hbst.) to synonym of *E. excisicollis* Rtt.  
 [Audisio & al. 2006]  
*Eपुरaea longipennis* Sjöb. - add synonym *E. dolosa*  
 Kirejtshuk, 1995 [Audisio & al. 2006]  
*Eपुरaea fussii* Rtt. - add I [Monsevičius & Pankevičius  
 2001]  
*Eपुरaea opalizans* J.Sahlb. - add A [Telnov 2004];  
 add synonym *E. rugulosa* J.Sahlberg, 1889 [Audi-  
 sio & al. 2006]

*Eपुरaea opalizans* J.Sahlb. - add A [Telnov 2004]  
*Eपुरaea binotata* Rtt. - add I [Monsevičius &  
 Pankevičius 2001]  
*Eपुरaea biguttata* (Thunb.) - add I [Monsevičius &  
 Pankevičius 2001]  
*Eपुरaea variegata* (Hbst.) - add I [Monsevičius &  
 Pankevičius 2001]  
*Eपुरaea melina* Er. - add I [Monsevičius & Pankevičius  
 2001]  
*Eपुरaea contractula* J.Sahlb. - add A [Telnov 2004]

**p. 61**

*Eपुरaea silesiaca* Rtt. - add AI [Telnov 2004,  
 Monsevičius & Pankevičius 2001]  
*Eपुरaea limbata* (F.) - add I [Monsevičius &  
 Pankevičius 2001]  
*Meligethes subrugosus* (Gyll.) - add I [Tamutis 2003]  
*Meligethes subaeneus* Sturm - add A [Telnov 2004]  
*Meligethes sulcatus* Bris. - add I [Tamutis 2003]  
*Meligethes brunnicornis* Sturm - add I [Tamutis  
 2003]  
*Meligethes maurus* Sturm - add I [Tamutis 2003]  
*Meligethes distinctus* Sturm - add AI [Telnov, 2004,  
 Tamutis 2003]  
*Meligethes gagathinus* Er. - add A [Telnov 2004]  
*Meligethes carinulatus* Först. - add I [Tamutis 2003]  
*Meligethes symphyti* (Heer) - add I [Tamutis 2003]  
*Meligethes tristis* Sturm - add I [Tamutis 2003]

**p. 62**

*Ahasverus advena* (Waltl) - add I [Monsevičius &  
 Pankevičius 2001]  
 After *Silvanus unidentatus* (Ol.) - add *S. proximus*  
 Grouvelle, 1904 d, and *S. lewisi* Reitter, 1876 d  
 [Pedersen & al. 2004]

**p. 63**

*Olibrus baudueri* Flach - add A [Telnov 2004]  
*Olibrus norvegicus* Munst. - add I [Monsevičius &  
 Pankevičius 2001]  
*Telmatophilus brevicollis* Aubé - add S [Dufberg  
 2004]  
*Micrambe villosa* Heer - add A [Telnov 2004]  
*Cryptophagus fallax* Balf.-Br. - add I [Monsevičius &  
 Pankevičius 2001]

**p. 64**

*Cryptophagus subfumatus* Kr. - add A [Telnov 2004]  
*Cryptophagus micaceus* Rey - add A [Telnov 2004]  
*Cryptophagus saginatus* Sturm - add I [Monsevičius &  
 Pankevičius 2001]

*Cryptophagus dentatus* (Hbst.) - add A [Telnov 2004]  
*Cryptophagus pseudodentatus* Bruce - change to *C. denticulatus* Heer, 1841 (*pseudodentatus* Bruce, 1934) [Johnson 2006]; add I [Monsevičius & Pankevičius 2001]  
*Cryptophagus immixtus* Rey - change to *C. hirtulus* Kraatz, 1858 (*immixtus* Rey, *postpositus* J.Sahlb.) [Johnson 2006]; add I [Monsevičius & Pankevičius 2001]  
*Cryptophagus obsoletus* Rtt. - add I [Monsevičius & Pankevičius 2001]  
*Cryptophagus lycoperdi* (Scop.) - add I [Monsevičius & Pankevičius 2001]  
*Cryptophagus pilosus* Gyll. - add I [Monsevičius & Pankevičius 2001]  
*Antherophagus canescens* Grouv. - add I [Monsevičius & Pankevičius 2001]  
*Caenoscelis subdeplanata* Bris. - add A [Telnov 2004]  
*Atomaria impressa* Er. - add A [Telnov 2004]  
*Atomaria munda* Er. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria morio* Kolen. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria lewisi* Rtt. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria pseudatra* Rtt. - add AI [Telnov 2004, Monsevičius & Pankevičius 2001]  
*Atomaria basalis* Er. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria rubella* Heer - add I [Monsevičius & Pankevičius 2001]  
*Atomaria atricapilla* Steph. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria nitidula* (Marsh.) - add I [Monsevičius & Pankevičius 2001]  
*Atomaria analis* Er. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria rubricollis* Bris. - add A [Telnov 2004]  
*Atomaria hislopi* Woll. - add A [Telnov 2004]

**p. 65**

*Atomaria fimetarii* (F.) - add I [Monsevičius & Pankevičius 2001]  
*Atomaria umbrina* (Gyll.) - add A [Telnov 2004]  
*Atomaria nigriventris* Steph. - add A [Telnov 2004]  
*Atomaria nigrirostris* Steph. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria subangulata* J.Sahlb. - add A [Telnov 2004]  
*Atomaria elongatula* Er. - add A [Telnov 2004]  
*Atomaria affinis* (F.Sahlb.) - add A [Telnov 2004]

*Atomaria pseudaffinis* Johns. & Str. - synonymize with *A. affinis* (F.Sahlb.) [Johnson 2006]  
*Atomaria pulchra* Er. - change to *A. vespertina* Mäklin, 1853 (*pulchra* auct. nec Er.) [Johnson 2006]; add I [Monsevičius & Pankevičius 2001]  
*Atomaria atrata* Rtt. - add I [Monsevičius & Pankevičius 2001]  
*Atomaria procerula* Er. - change to *A. longicornis* Thomson, 1863 (*procerula* auct. nec Er.) [Johnson 2006]; add AI [Telnov 2004, Monsevičius & Pankevičius 2001]  
*Dacne rufifrons* (F.) - add E [Miländer 2005]  
*Combocerus glaber* (Schall.) - add A [Telnov 2004]

**p. 66**

*Sphaerosoma pilosum* (Panz.) - add I [Šablevičius 2003]  
*Mycetaea subterranea* (F.) - add I [Monsevičius & Pankevičius 2001]  
*Scymnus jakowlewi* Wse. - add A [Telnov 2004]  
*Scymnus ater* Kug. - delete SN [Wanntorp 2004]  
*Scymnus haemorrhoidalis* Hbst. - add I [Tamutis 2003]

**p. 67**

*Sospita vigintiguttata* (L.) - delete D [Pedersen & al. 2004]

**p. 68**

*Orthoperus atomus* (Gyll.) - add I [Tamutis 2003]  
*Latridius consimilis* Mannh. - add AI [Telnov 2004, Monsevičius & Pankevičius 2001]  
*Latridius anthracinus* Mannh. - add I [Monsevičius & Pankevičius 2001]  
*Latridius nidicola* (Palm) - add E [Miländer 2005]  
*Enicmus fungicola* Thoms. - add I [Monsevičius & Pankevičius 2001]  
*Enicmus testaceus* (Steph.) - add I [Tamutis 2003]  
*Enicmus histrio* Joy & Toml. - add I [Monsevičius & Pankevičius 2001]  
*Dienerella elongata* (Curt.) - add I [Ferenca & al. 2002]  
*Dienerella clathrata* (Mannh.) - add E [Miländer 2005]  
*Dienerella filiformis* (Gyll.) - add I [Monsevičius & Pankevičius 2001]  
*Dienerella filum* (Aubé) - add I [Monsevičius & Pankevičius 2001]  
*Strophostethus anternans* (Mannh.) - add E I [Miländer 2005, Monsevičius & Pankevičius 2001]  
*Strophostethus rugicollis* (Ol.) - add AI [Telnov 2004, Monsevičius & Pankevičius 2001]

*Aridius nodifer* (Westw.) - add I [Monsevičius & Pankevičius 2001]

**p. 69**

*Corticaria pineti* Lohse - add E [Miländer 2005]  
*Corticaria crenulata* (Gyll.) - add I [Tamutis 2003]  
*Corticaria umbilicata* (Beck) - add I [Monsevičius & Pankevičius 2001]  
*Corticaria saginata* Mannh. - add EAI [Miländer 2005, Telnov 2004, Tamutis 2003]  
*Corticaria abietorum* Motsch. - add I [Tamutis 2003]  
*Corticaria foveola* (Beck) - add E [Miländer 2005]  
*Corticaria polypori* J.Sahlb. - add E [Miländer 2005]  
*Corticarina lambiana* (Sharp) - add I [Monsevičius & Pankevičius 2001]  
*Triphyllus bicolor* (F.) - add I [Ferenca & al. 2002]  
*Mycetophagus multipunctatus* F. - add I [Šablevičius 2003]  
*Cis punctulatus* Gyll. - add I [Monsevičius & Pankevičius 2001]

**p. 70**

*Orthocis linearis* (J.Sahlb.) - add D [Pedersen & al. 2004]  
*Ropalodontus perforatus* (Gyll.) - add I [Monsevičius & Pankevičius 2001]  
*Ropalodontus strandi* Lohse - add A [Telnov 2004]  
*Tetratoma ancora* F. - add I [Monsevičius & Pankevičius 2001]  
*Hallomenus axillaris* (Ill.) - add I [Monsevičius & Pankevičius 2001]  
*Anisoxya fuscula* (Ill.) - add I [Tamutis 2003]  
*Abdera triguttata* (Gyll.) - add I [Ferenca & al. 2002]  
*Phloiotrya rufipes* (Gyll.) - add D I [Pedersen & Vagtholm-Jensen 2005; Ferenca & al. 2002]  
*Xylita livida* (Sahlb.) - add I [Ferenca 2004, Šablevičius 2004]  
*Hypulus quercinus* (Quens.) - add I [Ferenca 2004]

**p. 71**

*Mordellistena pseudopumila* Erm. - add I [Monsevičius & Pankevičius 2001]  
 After *Mordellistena connata* Erm. – add *M. bicoloripilosa* Ermisch, 1967 D and *M. wisei* Schilsky, 1895 D [Pedersen & Vagtholm-Jensen 2005]  
 After *Mordellistena pseudonana* Erm. – add *M. acuticollis* Schilsky, 1895 D [Pedersen & Vagtholm-Jensen 2005]  
*Colydium filiforme* F. - add I [Inokaitis 2004, Ferenca 2004]

**p. 72**

**Dendarini** Español, 1945 - change author to Seidlitz, 1889 [Bouchard & al. 2005]  
**Opatrini** Hope, 1840 - change author to Brullé, 1832 [Bouchard & al. 2005]  
*Tenebrio obscurus* F. - add A [Telnov 2004]

**p. 73**

**Crypticini** Mulsant, 1854 - change author to Brullé, 1832 [Bouchard & al. 2005]  
**Coelometopinae** Lacordaire, 1859 - replace with **Stenochiinae** Kirby, 1837 [Blanchard & al. 2005]

**p. 74**

*Oedemera croceicollis* (Gyll.) - add A [Telnov 2004]  
*Cerocoma schaefferi* (L.) - add I [Tamutis 2003]

**p. 75**

After *Notoxus* - add **Mecynotarsus** LaFerté-Sénéctère, 1848, with *M. serricornis* (Panzer, 1796) I [Tamutis 2003]  
*Omonadus kolenatii* (Kolen.) - change to *O. bifasciatus* (Rossi, 1792) (*kolenatii* (Kolenati, 1846) [Chandler & al. 2004]  
**Cordicomus** Pic - change to **Cordicollis** Marseul, 1879 (**Cordicomus** Pic, 1894) [Chandler & al. 2004]  
**Stricticomus** Pic - change to **Stricticollis** Marseul, 1879 (**Stricticomus** Pic, 1894) [Chandler & al. 2004]  
**Hirticomus** Pic - change to **Hirticollis** Marseul, 1879 (**Hirticomus** Pic, 1894) [Chandler & al. 2004]  
*Pseudeuglenes pentatomus* (Thoms.) – add D [Pedersen & Vagtholm-Jensen 2005]

**p. 76**

*Pidonia lurida* (F.) - add I [Tamutis 2003]

**p. 77**

*Alosterna erythropus ingrlica* (Baeckm.) - add A [Telnov 2004]  
*Anoplodera rufipes* (Schall.) - add I [Ferenca 2003]  
*Anoplodera livida* (F.) - transfer to **Pseudovadonia** Lobanov, Danilevsky & Murzin, 1981 [see introduction]; add S [Hallqvist 2005]  
*Anoplodera virens* (L.) - transfer to **Lepturobosca** Reitter, 1913 [see introduction]  
*Leptura revestita* L. and *L. pubescens* F. - transfer to **Pedostrangalia** Sokolov, 1897 [see introduction]  
**Axinopalpis** Duponchel & Chevrolat, 1842 – change author to Dejean, 1835 [orig.]  
*Obrium brunneum* (F.) - add I [Ferenca 2004, Šablevičius 2004]



**p. 78**

*Xylotrechus pantherinus* (Saven.) - add I [Inokaitis 2004]  
 After *Leiopus nebulosus* (L.) - add *L. femoratus* Fairmaire, 1859 I [Ferenca 2004]

**p. 79**

*Stenostola ferrea* (Schrank) - delete S [Wallin & al. 2005]  
*Donacia brevicornis* Ahr. - add A [Telnov 2004]

**p. 80**

*Oulema gallaeciana* (Heyd.) - change to *O. obscura* (Stephens, 1831) (*gallaeciana* (Heyden, 1870)) [Watson & Dallwitz 2003]  
*Oulema duftschmidi* (Redt.) - change to *O. rufocyanea* (Suffrian, 1847) (*duftschmidi* (Redtenbacher, 1874)) [Watson & Dallwitz 2003]; add A [Telnov 2004]  
*Cryptocephalus biguttatus* (Scop.) - delete S [Wanntorp 2005]  
 After *Cryptocephalus moraei* (L.) - add *C. octacosmus* Bedel, 1891 I [Ferenca 2003]  
*Cryptocephalus rufipes* (Gze.) - add I [Ferenca & al. 2002]

**p. 81**

*Chrysolina herbacea* (Duft.) - add I [Tamutis 2003]  
*Chrysolina oricalcia* (Müll.) - add A [Telnov 2004]  
*Chrysolina americana* (L.) - add d [Pedersen & al. 2004]

**p. 82**

*Phyllotreta diademata* Foudr. - change to *P. astrachanica* Lopatin, 1977 (*diademata* auct.) [Wanntorp 2005]

**p. 83**

*Longitarsus* Berthold, 1827 - change author to Latreille, 1829 [Konstantinov 2005]  
 After *Longitarsus membranaceus* (Foudr.) - add *L. helvolus* Kutschera, 1863 A [Telnov 2004]  
 After *Longitarsus curtus* (All.) - add *L. monticola* Kutschera, 1863 A [Telnov 2004]  
*Longitarsus ganglbaueri* Heik. - add D [Pedersen & Vagtholm-Jensen 2005]  
*Longitarsus absynthii* Kutsch. - delete S [Wanntorp 2005]  
*Altica lythri* Aubé - add A [Telnov 2004]  
*Altica longicollis* (All.) - change to *A. ericeti* (Allard, 1859) (*longicollis* (Allard, 1860)) [Watson & Dallwitz 2003]

**p. 84**

*Chaetocnema laevicollis* (Thoms.) - change to *C. picipes* Stephens, 1831 (*laevicollis* (Thomson, 1866)) [Booth & Owen 1997]  
*Dibolia depressiuscula* Letzn. - delete S [Wanntorp 2005]  
*Dibolia occultans* (Koch) - add I [Ferenca 2003]  
*Psylliodes brisouti* (Bedel) - add N [Wanntorp & Ødegaard 2005]  
*Psylliodes isatidis* Heik. - delete FSN [Wanntorp & Ødegaard 2005]  
*Psylliodes crambicola* Lohse - add K N [Wanntorp & Ødegaard 2005]

**p. 85**

*Cassida ferruginea* Gze. - add I [Ferenca & al. 2002]  
 After *Cassida prasina* Ill. - add *C. azurea* Fabricius, 1801 I [Tamutis 2003]  
*Bruchus laticollis* Boh. - add A [Telnov 2004]  
*Doydirhynchus austriacus* (Ol.) - add I [Tamutis 2003]  
*Allandrus undulatus* (Panz.) - add I [Tamutis 2003]  
*Rhaphitropis marchicus* (Hbst.) - add I [Ferenca & al. 2002]

**p. 86**

*Araecerus coffeae* (F.) - add i [Tamutis 2003]  
*Neocoenorrhinus pauxillus* (Germ.) - add A [Barševskis & al. 2004, Telnov 2004]  
 As first in *Rhynchites* - add *R. caeruleus* (DeGeer, 1775) I [Tamutis 2003]  
*Apion basicorne* Ill. - add A [Telnov 2004]  
*Apion armatum* Gerst. - add A [Barševskis & al. 2004]  
*Apion flavimanum* Gyll. - add A [Barševskis & al. 2004]

**p. 87**

*Apion interjectum* Desbr. - add A [Telnov 2004]  
*Apion ononidis* Gyll. - add I [Tamutis 2004]  
*Apion dissimile* Germ. - add I [Ferenca & al. 2002]  
*Apion brevirostre* Hbst. - add I [Žiogas & Zolubas 2005]  
*Apion affine* Kby. - add I [Tamutis 2004]  
*Apion pubescens* Kby. - add A [Telnov 2004]

**p. 88**

*Otiorhynchus smreczynskii* Cmol. - add A [Telnov 2004]  
 After *Phyllobius glaucus* (Scop.) - add *P. fessus* Boheman, 1843 I [Wanat 2005]  
*Polydrusus impressifrons* Gyll. - add I [Ferenca 2004]

**p. 89**

*Barypeithes pellucidus* (Boh.) - add I [Šablevičius 2004]

**p. 90**

*Rhinocyllus conicus* (Fröl.) - add A [Telnov 2004]  
*Gronops lunatus* (F.) - add A [Telnov 2004]  
*Limobius borealis* (Payk.) - add I [Šablevičius 2003]

**p. 91**

*Thryogenes scirrhosus* (Gyll.) - add I [Tamutis 2004]  
*Dorytomus nordenskioldi* Faust - add A [Telnov 2004]  
*Dorytomus filirostris* (Gyll.) - add I [Tamutis 2003]  
*Dorytomus occallescens* (Gyll.) - add I [Tamutis 2003]  
 After *Dorytomus salicis* Walt. - add *D. nebulosus* (Gyllenhal, 1836) A [Telnov 2004]  
*Dorytomus majalis* (Payk.) - add I [Tamutis 2003]  
*Cleopus pulchellus* (Hbst.) - add I [Tamutis 2003]  
*Cleopus solani* (F.) - add I [Šablevičius 2003]  
*Tychius medicaginis* Bris. - add I [Tamutis 2004]

**p. 92**

*Tychius lineatulus* Steph. - add I [Tamutis 2003]  
*Sibinia sodalis* Germ. - add I [Tamutis 2003]  
*Sibinia primita* (Hbst.) - add I [Šablevičius 2003]  
 After *Sibinia primita* (Hbst.) - add *S. unicolor* (Fåhræus, 1843) A, and *S. nigratarsis* (Desbrochers des Loges, 1870) A [Telnov 2004]  
*Anthonomus conspersus* Desbr. - add I [Ferenca & al. 2002]  
*Rhynchaenus calceatus* (Germ.) - add AI [Telnov 2004, Tamutis 2004]

**p. 93**

*Rhinusa tetrum* (F.) - add D [Pedersen & Vagtholm-Jensen 2005]  
*Cleopomiarus micros* (Germ.) - add I [Ferenca 2004, Žiogas & Zolubas 2005]  
*Bagous longitarsis* Thoms. - add I [Tamutis 2003]  
*Bagous czwalinai* Seidl. - add I [Tamutis 2003]

**p. 94**

*Magdalis caucasica* Tourn. - add I [Tamutis 2003]  
*Magdalis exarata* (Bris.) - add I [Tamutis 2004]  
*Magdalis barbicornis* (Latr.) - add I [Tamutis 2003]

**p. 95**

*Phytobius leucogaster* (Marsh.) - add AI [Telnov 2004, Ferenca & al. 2002]

*Pelenomus velaris* (Gyll.) - add I [Tamutis 2004]  
 After *Rhinoncus* - add **Marmaropus** Schönherr, 1837, with *M. besseri* Gyllenhal, 1837 I [Ferenca & al. 2002]  
*Auleutes epilobii* (Payk.) - add I [Ferenca & al. 2002]  
*Amalorrhynchus melanarius* (Steph.) - add I [Tamutis 2003]

**p. 96**

*Ceutorhynchus barbareae* Suffr. - add I [Ferenca & al. 2002]  
*Ceutorhynchus pectoralis* Wse. - add I [Tamutis 2004]  
*Ceutorhynchus gerhardti* Schultze - change to *C. granulicollis* Thomson, 1865 [Colonnelli 2004]  
*Ceutorhynchus fennicus* Faust - add A [Telnov 2004]  
*Ceutorhynchus arquatus* (Hbst.) - add A [Telnov 2004]  
*Ceutorhynchus abbreviatulus* (F.) - add A [Telnov 2004]  
*Ceutorhynchus javetii* Bris. - add A [Telnov 2004]  
*Ceutorhynchus geographicus* (Gze.) - add A [Telnov 2004]  
*Sirocalodes depressicornis* (Gyll.) - change to *S. depressicollis* (Gyll.) [error]

**p. 97**

*Stenocarus umbrinus* (Gyllenhal, 1827) - change to *S. ruficornis* (Stephens, 1831) (*umbrinus* (Gyllenhal, 1837)) [Colonnelli 2004]  
*Sitophilus oryzae* (L.) - add I [Tamutis 2003]  
*Hylesinus varius* (F.) - add I [Tamutis 2003]

**p. 98**

*Scolytus triarmatus* (Egg.) - add E [Voolma & al. 2004]  
*Ips cembrae* (Heer) - add e [Voolma & al. 2004]  
*Trypodendron domesticum* (L.) - add K [Voolma & al. 2004]  
*Trypophloeus bispinulus* Egg. - add E [Voolma & al. 2004]

**p. 99**

After *Pityophthorus micrographus* (L.) - add *P. pityographus* (Ratzeburg, 1837) I [Tamutis 2003]  
*Pityophthorus morosovi* Spess. - add E [Voolma & al. 2004]  
*Pityophthorus glabratus* Eichh. - add E [Voolma & al. 2004]  
**Platypodidae** Shuckard - change to **Platypodinae** Shuckard [error]

## References

- Andersen, J. 2005: The taxonomic status of *Hypnoidus consobrinus* (Mulsant & Guillebeau, 1855) and *H. rivularius* (Gyllenhal, 1827) (Coleoptera, Elateridae). — Norw. Journ. Entomol. 52: 27-37.
- Audisio, P., Muona, J. & Rutanen, I. 2006. Recent additions and taxonomic reinterpretations on some Scandinavian *Epuraea* (Coleoptera: Nitidulidae: Epuraeinae). — Folia Heyrovskyana, Ser. A 13: 201-213.
- Barševskis, A. 2005: Catalogue of click-beetles (Coleoptera: Elateridae) of Latvia. — Proc. Taxon. & Faunist. Beetles (Coleoptera) in memory of M. Stiprais, pp. 7-28.
- Barševskis, A., Kalnins, M. & Cibulskis, R. 2005: Latvijas airvaboles (Coleoptera: Dytisciformia). — Latvijas vaboles 2: 1-264.
- Barševskis, A., Valainis, U., Bicevskis, M., Savenkovs, N., Cibulskis, R., Kalnins, M. & Strode, N. 2004: Faunistic records of the beetles (Hexapoda: Coleoptera) in Latvia. 1. — Acta Biol. Univ. Daugavpils. 4: 93-106.
- Booth, R.G. & Owen, J.A. 1997: *Chaetocnema picipes* Stephens (Chrysomelidae: Alticinae) in Britain. — Coleopterist 6: 85-89. [not seen]
- Blanchard, P., Lawrence, J.F., Davies, A.E. & Newton, A.F. 2005. Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. — Ann. Zool. (Warsz.) 55: 499-530.
- Chandler, D.S., Nardi, G. & Telnov, D. 2004: Nomenclatural Notes on the Palaearctic Anthicidae (Coleoptera). — Mitt. internat. entomol. Ver. 29: 109-173.
- Cibulskis, R. 2005: Rove beetle fauna and distribution of subgenus *Philhygra* Mulsant & Rey, 1873 of genus *Atheta* Thomson 1858 in Latvia. — In Sklodowski, Huruk, Barševskis & Tarasiuk (eds.), Protection of Coleoptera in the Baltic Sea Region, Warszawa, pp. 123-128.
- Cibulskis, R., Barševskis, A. & Valainis, U. 2005: New species of rove beetles (Coleoptera: Staphylinidae) to Latvia. — Proc. Taxon. & Faunist. Beetles (Coleoptera) in memory of M. Stiprais, pp. 63-64.
- Colonnelli, E. 2004: Catalogue of the Ceutorhynchinae of the world, with a key to genera. — Argana editio, Barcelona, 124 pp.
- Cuppen, J.G.M. & Foster, G.N. 2005: Aquatic Coleoptera from Vest-Agder and Aust-Agder, Norway. — Norw. Journ. Entomol. 52: 91-101.
- Dauphin, P. 2004: Notes sur les *Cypha* (= *Hypocyphus*) d'Europe occidentale (Coleoptera Staphylinidae Aleocharinae). — Bull. Soc. Linn. Bordeaux 32: 85-102.
- Dufberg, A. 2004: Två för Sverige nya skalbaggsarter: *Telmatophilus brevicollis* (Coleoptera: Cryptophagidae) och *Hypopycna rufula* (Coleoptera: Staphylinidae). — Entomol. Tidskr. 125: 181-182.
- Ferenca, R. 2003: Retos ir naujos Lietuvos entomofaunos vabalu (Coleoptera) rusys, rastos 1997-2002 metais. - New and rare for Lithuania insect species 15: 32-36.
- 2004: New and rare for Lithuania beetle (Coleoptera) species registered in 1978-2004. — New and rare for Lithuania insect species 16: 11-22
- Ferenca, R., Ivinskis, P. & Meržijevskis, A. 2002: New and rare Coleoptera species in Lithuania. — Ekologija (Vilnius) 2002(3): 25-31.
- Gusarov, V.I. 2003: Revision of some types of North American aleocharines (Coleoptera: Staphylinidae: Aleocharinae), with synonymic notes. — Zootaxa 353: 1-134.
- Hallqvist, J. 2005: *Anoplodera livida* (Fabricius, 1777) – långhorning ny för Sverige (Coleoptera, Cerambycidae). — Entomol. Tidskr. 126: 129-131.
- Inokaitis, V. 2004: Naujos i retos Lietuvos entomofaunos vabalu (Coleoptera) rusys, aptiktos 2000-2003 metais. - New and rare for Lithuania insect species 16: 7-10.
- Johnson, C. 2003: Further notes on Palaearctic and other Ptiliidae (Coleoptera). — Entomol. Gaz. 54: 55-70.
- 2006: Notes on Palaearctic Cryptophagidae (Coleoptera), including lectotype designations and new synonyms. — Entomol. Gaz. 57: 51-68.
- Konstantinov, A.S. 2005: New species of Middle Asian Longitarsus Latreille with discussion of their subgeneric placement (Coleoptera:

- Chrysomelidae). — *Zootaxa* 1056: 19-42.
- Mahler, V. 2004: New species of waterbeetles (Hydraenidae, Scirtidae, Elmidae) to Estonia. — *Baltic Journ. Coleopterol.* 55-56.
- Miländer, G. 2005: Uued mardikalised sugukondadest Leiodidae, Erotylidae ja Lathridiidae Eesti faunas. — *Lepinfo* 16: 48-51.
- Monsevičius, V. & Pankevičius, R. 2001: Coleoptera species new to Lithuania. — *Ekologija (Vilnius)* 2001(2):40-45.
- Opinion 2098. 2005: *Geostiba* Thomson, 1858 (Insecta, Coleoptera): conserved. — *Bull. Zool. Nomenclat.* 62: 43-44.
- Opinion 2099. 2005: *Aphodius niger* Illiger, 1798 (Insecta, Coleoptera): specific name conserved. — *Bull. Zool. Nomenclat.* 62: 45-46.
- Opinion 2138. 2006: *Bolboceras* Kirby, 1819 (July) (Insecta: Coleoptera): not conserved; priority maintained for *Odonteus* Samouelle, 1819 (June). — *Bull. Zool. Nomenclat.* 63: 62-64.
- Pedersen, J., Jørum, P. & Vagtholm-Jensen, O. 2004: Fund af biller i Danmark, 2003. (Coleoptera). — *Entomol. Meddel.* 72: 49-74.
- Pedersen, J. & Vagtholm-Jensen, O. 2005: Fund af biller i Danmark, 2004 (Coleoptera). — *Entomol. Meddel.* 73: 87-113.
- Perkiömäki, J. & Rutanen, I. 2005: Harvinaisia maakiitäjäisiä Helsingin Vuosaaresta (Coleoptera, Carabidae). — *Sahlbergia* 10: 28-29.
- Ramqvist, T. 2006: Atheta pittionii Scheerpeltz – en för Sverige ny kortvinge (Coleoptera, Staphylinidae). — *Entomol. Tidskr.* 127:57-60.
- Roosileht, U. 2004: Two new Staphylinidae records for Estonian fauna. — *Baltic Journ. Coleopterol.* 4: 59-60.
- Roosileht, U. & Selin, A. 2004: New predaceous diving beetle *Cybister lateralimarginalis* (De Geer, 1774) (Coleoptera, Dytiscidae) in Estonian Fauna. — *Baltic Journ. Coleopterol.* 4: 61-62.
- Šablevičius, B. 2003: New and rare for Lithuania beetle (Coleoptera) species. — *New and rare for Lithuania insect species* 15: 11-24.
- 2004: New and rare for Lithuania beetle (Coleoptera) species collected in 1988-2004. — *New and rare for Lithuania insect species* 16: 27-31.
- Schmidt, J. 2004: 17. Tribus: *Platynini* Bonelli, 1810. — *Die Käfer Mitteleuropas* (2. Aufl.) 2: 251-282.
- Schülke, M. 2003: Zur Taxonomie und Verbreitung von *Mycetoporus montanus* Luze, 1901, einer holarktisch verbreiteten Art mit boreomontan disjunktem Verbreitungsgebiet in Europa (Coleoptera, Staphylinidae, Tachyporinae). — *Entomol. Bl.* 98: 199-209.
- 2004a: Zur Taxonomie der Tachyporinae (Coleoptera: Staphylinidae). Typenrevision, Typendesignation, Neukombinationen, Untergattungszuordnungen, Nomina nova und neue Synonymien. — *Linz. Biol. Beitr.* 36: 919-1000.
- 2004b: Revision der paläarktischen Arten der Gattung *Bryophacis* Reitter, mit Bemerkungen zu *Bolitobius biseriatus* Mannerheim und *Bolitobius filicornis* Wollaston (Coleoptera, Staphylinidae, Tachyporinae). *Linz. Biol. Beitr.* 36: 1001-1054.
- Silfverberg, H. 2004a: *Enumeratio nova Coleopterorum Fennoscandiae, Daniae et Baltiae*. — *Sahlbergia* 9: 1-111.
- 2004b: *Enumeratio nova Coleopterorum: errata*. — *Sahlbergia* 9: 122.
- Skartveit, J., Pommeresche, R. & Solhøy, T. 2005: Notes on uncommon beetles (Coleoptera) collected during a survey in Hardanger, Western Norway. — *Norw. Journ. Entomol.* 51: 151-158.
- Svedlindh, C. 2003: Vedskalbaggar i gamla träd i Linköpings stad. — *Natur i Linköping* 2003(1): 1-32.
- Sörensson, M. & Johnson, C. 2004: The first European records of the pantropic genus *Bambara* Vuillet, and a review of the immigrant featherwing beetles in Europe. — *Koleopterol. Rundsch.* 74: 287-302.
- Tamutis, V. 2003: Eighty-two new for Lithuania beetle (Coleoptera) species. — *New and rare for Lithuania insect species* 15: 54-62.
- 2004: Nine new apionid and weevil (Coleoptera: Apionidae, Curculionidae) Species found in Lithuania. — *New and rare for Lithuania insect species* 16: 23-26.
- Tamutis, V., Monsevičius, V. & Pekarskas, J.

- 2004: Ground and rove beetles (Coleoptera: Carabidae, Staphylinidae) in ecological and conventional winter wheat fields. — *Baltic Journ. Entomol.* 4: 31-40.
- Telnov, D. 2004: Check-List of Latvian Beetles (Insecta: Coleoptera) (second edition). — In Telnov, D. (ed.) *Compendium of Latvian Coleoptera*. Vol. 1. Riga, Petrovskis & Co., 114 pp.
- Vogel, J. 2004: Bemerkungen zur Systematik und Taxonomie der Athetini (Coleoptera: Staphylinidae, Aleocharinae). — *Linz. Biol. Beitr.* 36: 1115-1123.
- Voolma, K., Mandelshtam, M.J., Shcherbakov, A.N., Yakovlev, E.B., Øunap, H., Süda, I., Popovichev, B.G., Sharapa, T.V., Galasjeva, T.V., Khairetdinov, R.R., Lipatkin, V.A. & Mozolevskaya, E.G. 2004: Distribution and spread of bark beetles (Coleoptera: Scolytidae) around the Gulf of Finland: a comparative study with notes on rare species of Estonia, Finland and North-Western Russia. — *Entomol. Fenn.* 15: 198-210.
- Vorst, O. & Sörensson, M. 2005: On the identity of *Acrotrichis nana* Strand, a species distinct from *A. dispar* (Matthews) (Coleoptera: Ptiliidae). — *Tijdschr. Entomol.* 148: 329-333.
- Wallin, H., Lundberg, S. & Hägg, T. 2005: Finns de båda palearktiska arterna av lövgrenbock, *Stenostola dubia* och *S. ferrea* (Coleoptera, Cerambycidae) i Norden? — *Entomol. Tidskr.* 126: 173-179.
- Wanat, M. 2005: *Phyllobius fessus* Boheman, 1843, a new weevil species in Poland and Lithuania (Coleoptera: Curculionidae). — *Genus* 16: 611-617.
- Wanntorp, H.-E. 2004: "Hela havet stormar": De svenska arterna av *Scymnus* usl. *Neopullus* (Coleoptera, Coccinellidae) byter plats. — *Entomol. Tidskr.* 125: 103-109.
- 2005: Några bladbaggar, felaktigt uppgivna som svenska. — *Entomol. Tidskr.* 126: 133-136.
- Wanntorp, H.-E. & Ødegaard, F. 2005: Tre missföstådda jordloppor: Om förekomsten av *Psylliodes isatidis* Hktr., *P. crambicola* Lohse och *P. brisouti* (Bedel) i Norden (Coleoptera, Chrysomelidae). — *Entomol. Tidskr.* 126: 191-199.
- Watson, L. & Dallwitz, M.J. 2003: British insects, the families of Coleoptera. — <http://delta-intkey.com> [5.10.2005].
- Žiogas, A. & Zolubas, B. 2005: Rare and protected forest beetle species in the national parks of Lithuania. — In Sklodowski, Huruk, Barševskis & Tarasiuk (eds.), *Protection of Coleoptera in the Baltic Sea Region*, Warszawa, pp. 37-46.

#### **papers referred to in preface of Enumeratio:**

- Rutanen, I. 2004: Three species of Coleoptera new for Estonian fauna. — *Baltic Journ. Coleopterol.* 4: 57-58.
- Smetana, A. & Clayhills, T. 2004: *Gabronthus sulcifrons* (Sharp, 1889), a new addition to the fauna of Finland and Europe (Coleoptera, Staphylinidae). — *Entomol. Tidskr.* 125: 121-123.

#### **Selostus – Finnish summary**

Viimeisin luettelo Pohjois-Euroopan kova-kuoriaisista julkaistiin 2004. Tämän jälkeen on jo ehtinyt kertyä runsaasti lisätietoa, mikä on kerätty tähän yhteenvetoon. Suurin osa tiedoista on uusia maahavaintoja varsinkin Baltian maista, mutta mukana on myös joukko taksonomisia ja nimistöllisiä muutoksia.

#### **Referat – Swedish summary**

Den senaste katalogen över norra Europas skalbaggar kom år 2004. Sedan dess har åtskillig ny information tillkommit, främst rörande nyfynd från olika länder, speciellt då de baltiska länderna, men också taxonomiska nyrön samt namnförändringar. Dessa presenteras här, med referens till originalpublikationen.